




















Rotors Rotores Doigts d'Allumage



	Length ▼	Length Up to Rotator Contact	Height	Diameter
SY38045	1.28" 33mm		0.89" 23mm	0.50" 13mm
				
SY51249	1.38" 35mm		0.87" 22mm	0.57" 15mm
				
SY43638	1.42" 36mm		0.98" 25mm	0.62" 16mm
				
SY47799	1.59" 41mm		1.08" 28mm	0.54" 14mm
				
SY48847	1.61" 41mm		1.14" 29mm	0.32" 8mm
				
SY51254	1.61" 41mm		1.30" 33mm	0.56" 14mm
				
SY940700	1.69" 43mm	1.46" 37mm	0.89" 23mm	0.63" 16mm
				









 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Rotors Rotores Doigts d'Allumage

	Length ▼	Length Up to Rotator Contact	Height	Diameter
SY51706	1.83" 47mm		1.18" 30mm	0.57" 15mm
				
SY43622	1.83" 47mm	1.83" 47mm	1.18" 30mm	0.39" 10mm
				
SY940625	1.97" 50mm		1.34" 34mm	0.56" 14mm
				
SY99627	1.97" 50mm	1.97" 50mm	1.18" 30mm	0.57" 14mm
				
SY44874	2.03" 52mm		1.54" 39mm	0.44" 11mm
				
SY51707	2.07" 53mm		1.18" 30mm	0.57" 15mm
				
SY20-1003	2.17" 55mm	2.00" 51mm	0.72" 18mm	0.57" 15mm
				
SY48066	2.22" 57mm	2.38" 61mm	0.71" 18mm	0.57" 14mm
				
SY31261	2.22" 57mm	2.28" 58mm	1.04" 27mm	0.57" 14mm
				









⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Rotors Rotores Doigts d'Allumage

	Length ▼	Length Up to Rotator Contact	Height	Diameter
SY1244332	2.22" 57mm	2.38" 60mm	0.71" 18mm	0.57" 14mm
				
SY44949	2.24" 57mm		1.56" 40mm	0.44" 11mm
				
SY51709	2.24" 57mm		1.18" 30mm	0.57" 15mm
				
SY51710	2.28" 58mm		1.55" 39mm	0.56" 14mm
				
SY34446	2.30" 59mm	2.19" 56mm	0.98" 25mm	0.53" 14mm
				
SY51708	2.30" 59mm		1.22" 31mm	0.57" 15mm
				
SY51245	2.32" 59mm	2.44" 62mm	0.83" 21mm	0.63" 16mm
				
SY52927	2.34" 60mm	2.19" 56mm	0.96" 25mm	0.53" 14mm
				







 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Rotors Rotores Doigts d'Allumage

	Length ▼	Length Up to Rotator Contact	Height	Diameter
SY51705	2.34" 60mm		1.18" 30mm	0.56" 14mm
				
SY71208	2.36" 60mm	2.50" 64mm	0.69" 18mm	0.63" 16mm
				
SY31259	2.40" 61mm		0.98" 25mm	0.37" 10mm
				
SY1210168	2.44" 62mm		2.32" 59mm	0.59" 15mm
				
SY51244	2.44" 62mm	2.44" 62mm	0.98" 25mm	0.63" 16mm
				
SY48065	2.45" 62mm	2.60" 66mm	0.94" 24mm	0.57" 15mm
				
SY51257	2.50" 64mm	2.50" 64mm	1.42" 36mm	0.64" 16mm
				
SY40352	2.76" 70mm		1.42" 36mm	0.62" 16mm
				

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Rotors Rotores Doigts d'Allumage

	Length ▼	Length Up to Rotator Contact	Height	Diameter
SY83090	3.23" 82mm	3.35" 85mm	0.98" 25mm	3.23" 82mm
				
SY107475	3.26" 82mm	3.23" 82mm	0.94" 24mm	0.59" 15mm
				
SY86125	3.64" 93mm		1.56" 40mm	0.67" 17mm
				
SY107478	3.78" 96mm	3.78" 96mm	1.00" 24mm	0.53" 14mm
				
SY31260	4.00" 102mm	4.67" 119mm	1.22" 31mm	0.20" 5mm
				
SY45816	4.25" 108mm		1.10" 28mm	0.20" 5mm
				


 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Points Puntos de Contacto Eléctrico Rupteurs


U-shape
















Curved




Straight



	Type ▼	Length	Cable		Type ▼	Length	Cable
SY51463	2-Piece	1.91" 48mm	Yes	SY1223435	Straight	1.79" 45mm	Yes
							
SY51231	Curved	1.80" 46mm	No	SY51230	Straight	2.18" 55mm	No
							
SY51235	Curved	2.02" 51mm	No	SY45699	Straight	2.19" 56mm	No
							
SY51236	Curved	2.04" 52mm	No	SY48845	U-Shape	1.81" 46mm	No
							
SY51246	Curved	2.05" 52mm	No	SY51712	U-Shape	1.82" 46mm	Yes
							
SY47790	Round	1.69" 43mm	Yes	SY48064	U-Shape	2.13" 54mm	No
							
SY36055	Straight	1.68" 43mm	No				
							

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Distributor Caps Tapones del Distribuidor Têtes d'Allumeur



	Cylinders ▼	Fixing Type	Height	I.D.
SY99743	3	Clip	2.80" 71mm	2.69" 68mm



	Cylinders ▼	Fixing Type	Height	I.D.
SY51700	4	Clip	2.85" 73mm	2.58" 66mm



SY71198	3	Clip	2.72" 69mm	2.76" 70mm
---------	---	------	---------------	---------------



SY71197	4	Clip	2.95" 75mm	2.60" 66mm
---------	---	------	---------------	---------------



SY47493	4	Clip	2.52" 64mm	2.28" 58mm
---------	---	------	---------------	---------------



SY51701	4	Clip	2.80" 71mm	2.68" 68mm
---------	---	------	---------------	---------------



SY1223437	4	Clip	3.03" 77mm	2.56" 65mm
-----------	---	------	---------------	---------------



SY51699	4	Clip	2.78" 71mm	2.72" 69mm
---------	---	------	---------------	---------------



SY43852	4	Clip	2.56" 65mm	2.58" 66mm
---------	---	------	---------------	---------------




SY022-1403	4	Clip	2.68" 68mm	2.76" 70mm
------------	---	------	---------------	---------------



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Distributor Caps Tapones del Distribuidor Têtes d'Allumeur

	Cylinders ▼	Fixing Type	Height	I.D.		Cylinders ▼	Fixing Type	Height	I.D.		
SY42566	4	Clip	2.83" 72mm	2.76" 70mm		SY51240	4	Clip	1.63" 42mm	3.15" 80mm	
SY22-1404	4	Clip	2.72" 69mm	2.78" 71mm		SY31262	4	Clip	3.11" 79mm	3.50" 89mm	
SY51251	4	Clip	2.28" 58mm	2.78" 71mm		SY40351	4	Clip	3.35" 85mm	3.70" 94mm	
SY48069	4	Clip	2.64" 67mm	2.80" 71mm		SY48848	4	Screw	2.65" 67mm	2.58" 66mm	
SY51228	4	Clip	2.19" 56mm	2.85" 73mm		SY31240	4	Screw	4.45" 113mm	2.76" 70mm	
SY51234	4	Clip	2.40" 61mm	3.11" 79mm		SY82822	4	Screw	2.36" 60mm	2.87" 73mm	
SY51242	4	Clip	2.48" 63mm	3.15" 80mm		SY83096	4	Screw	2.24" 57mm	2.89" 74mm	

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Distributor Caps Tapones del Distribuidor Têtes d'Allumeur

	Cylinders ▼	Fixing Type	Height	I.D.
SY1223436	4	Screw	2.24" 57mm	2.90" 74mm



SY31267	4	Screw	2.50" 64mm	2.95" 75mm
---------	---	-------	---------------	---------------



SY44818	4	Screw	2.68" 68mm	2.96" 75mm
---------	---	-------	---------------	---------------



SY48068	4	Screw	2.87" 73mm	3.07" 78mm
---------	---	-------	---------------	---------------



SY51253	4	Screw	3.11" 79mm	3.33" 85mm
---------	---	-------	---------------	---------------



SY1244775	4	Screw	4.41" 112mm	3.33" 845mm
-----------	---	-------	----------------	----------------



SY86131	4	Screw	3.15" 80mm	3.96" 101mm
---------	---	-------	---------------	----------------



	Cylinders ▼	Fixing Type	Height	I.D.
SY51704	4	Screw	3.27" 83mm	4.53" 115mm



SY31270	4	Screw	3.23" 82mm	5.20" 132mm
---------	---	-------	---------------	----------------



SY45837	4	Screw	3.90" 99mm	5.22" 133mm
---------	---	-------	---------------	----------------



SY51227	6	Clip	2.28" 58mm	2.68" 68mm
---------	---	------	---------------	---------------



SY48067	6	Clip	2.72" 69mm	2.76" 70mm
---------	---	------	---------------	---------------



SY51702	6	Clip	2.83" 72mm	2.81" 72mm
---------	---	------	---------------	---------------



SY51250	6	Clip	2.24" 57mm	2.96" 75mm
---------	---	------	---------------	---------------



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Distributor Caps Tapones del Distribuidor Têtes d'Allumeur

	Cylinders ▼	Fixing Type	Height	I.D.		Cylinders ▼	Fixing Type	Height	I.D.
	6	Clip	2.95" 75mm	3.13" 80mm		6	Screw	1.80" 46mm	3.91" 99mm
SY51243						6	Screw	1.80" 46mm	3.91" 99mm
	6	Clip	1.63" 42mm	3.15" 80mm		6	Screw	2.46" 63mm	4.17" 106mm
SY51241						6	Screw	2.46" 63mm	4.17" 106mm
	6	Clip	2.38" 61mm	3.15" 80mm		6	Screw	3.15" 80mm	4.25" 108mm
SY51233						6	Screw	3.15" 80mm	4.25" 108mm
	6	Clip	2.83" 72mm	3.23" 82mm		6	Screw	2.88" 73mm	4.35" 110mm
SY51703						6	Screw	2.88" 73mm	4.35" 110mm
	6	Clip	3.00" 76mm	3.43" 87mm		6	Screw	2.36" 60mm	4.45" 113mm
SY36039						6	Screw	2.36" 60mm	4.45" 113mm
	6	Clip	3.03" 77mm	3.50" 89mm		6	Screw	3.19" 81mm	5.20" 132mm
SY42483						6	Screw	3.19" 81mm	5.20" 132mm
	6	Screw	4.45" 113mm	3.31" 84mm		6	Screw	3.82" 97mm	5.20" 132mm
SY44948						6	Screw	3.82" 97mm	5.20" 132mm
	6	Screw	3.31" 84mm	3.35" 85mm					
SY51252									
									
									
									
									
									
									
									

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Coils Bobinas Bobines d'Allumage




	Total Length ▼	Resistance	Bracket
SY71207	1.69" 43mm	External	No

	Total Length ▼	Resistance	Bracket
SY82293	2.99" 76mm	Optional	No



SY1244354	2.00" 57mm	External	No
-----------	---------------	----------	----

SY45798	3.15" 80mm	Optional	No
---------	---------------	----------	----



SY44819	2.23" 57mm	External	No
---------	---------------	----------	----

SY107473	3.23" 82mm	External	Yes
----------	---------------	----------	-----



SY1223439	2.72" 69mm	Optional	No
-----------	---------------	----------	----

SY107476	3.27" 83mm	External	Yes
----------	---------------	----------	-----



SY71204	2.80" 71mm	Optional	No
---------	---------------	----------	----

SY940623	3.41" 86mm	Optional	Yes
----------	---------------	----------	-----



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Coils Bobinas Bobines d'Allumage

	Total Length ▼	Resistance	Bracket		Total Length ▼	Resistance	Bracket	
SY71206	3.43" 87mm	External	No		SY107477	3.94" 100mm	Optional No	
SY44858	3.44" 88mm	Optional	No		SY71201	4.06" 103mm	Internal Yes	
SY31308	3.48" 89mm	Optional	No		SY1210799	4.06" 103mm	Optional No	
SY1244353	3.48" 88mm	Optional	No		SY34469	4.86" 124mm	Internal No	
SY940626	3.48" 89mm	Optional	No		SY51697	4.92" 125mm	Optional Yes	
SY940624	3.74" 95mm	Optional	Yes		SY1223438	5.04" 128mm	External Yes	
SY34468	3.86" 98mm	Optional	Yes		SY44875	5.47" 139mm	Optional No	

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Coils Bobinas Bobines d'Allumage

	Total Length ▼	Resistance	Bracket
SY1210115	5.49" 140mm	Internal	Yes



SY42573	5.89" 150mm	External	Yes
---------	----------------	----------	-----



SY71202	5.91" 150mm	Optional	No
---------	----------------	----------	----



SY71203	5.94" 151mm	Optional	No
---------	----------------	----------	----



	Total Length ▼	Resistance	Bracket
SY48075	6.00" 153mm	Optional	Yes



SY87247	6.00" 152mm	Internal	No
---------	----------------	----------	----










SY1244352	6.45" 164mm	Optional	No
-----------	----------------	----------	----




⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov







Distributors Distribuidores Allumeurs










	Total Length	Cylinders	Teeth	Vacuum Pump		Total Length	Cylinders	Teeth	Vacuum Pump	
SY940651	5.12" 130mm	3	0	No		SY34444	7.91" 201mm	4	13	No
SY51239	6.69" 170mm	4	0	No		SY107480	8.03" 204mm	4	0	Yes
SY52429	7.05" 179mm	4	0	Yes		SY43656	8.15" 207mm	4	0	Yes
SY107483	7.76" 197mm	4	0	Yes		SY71219	8.15" 207mm	4	0	Yes
SY71226	7.76" 197mm	4	0	Yes		SY71228	8.17" 208mm	4	13	Yes
										

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov













Distributors Distribuidores Allumeurs


	Total Length	Cylinders	Teeth	Vacuum Pump
SY107479	8.19" 208mm	4	12	No
				
SY71212	8.33" 212mm	4	0	Yes
				
SY1223442	8.46" 215mm	4	13	Yes
				
SY71229	8.62" 219mm	4	0	Yes
				
SY42613	8.74" 222mm	4	11	Yes
				
SY42565	8.80" 224mm	4	11	Yes
				

	Total Length	Cylinders	Teeth	Vacuum Pump
SY71225	9.04" 230mm	4	8	Yes
				
SY31269	9.37" 238mm	4	13	Yes
				
SY53260	9.41" 239mm	4	13	Yes
				
SY54091	9.41" 239mm	4	13	Yes
				
SY35361	9.41" 239mm	4	13	Yes
				
SY52343	9.42" 239mm	4	13	Yes
				

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Distributors Distribuidores Allumeurs

	Total Length	Cylinders	Teeth	Vacuum Pump		Total Length	Cylinders	Teeth	Vacuum Pump		
SY71224	9.49" 241mm	4	12	Yes		SY71211	9.84" 250mm	4	11	Yes	
SY51698	9.57" 243mm	4	13	Yes		SY47581	9.84" 250mm	4	11	Yes	
SY71214	9.69" 246mm	4	13	Yes		SY1223440	10.24" 260mm	4	13	No	
SY71215	9.72" 247mm	4	13	Yes		SY44857	10.59" 269mm	4	13	No	
SY71218	9.72" 247mm	4	13	Yes		SY71209	10.71" 272mm	4	14	Yes	
SY71210	9.84" 250mm	4	11	Yes		SY71213	10.71" 272mm	4	14	Yes	

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Distributors Distribuidores Allumeurs

	Total Length	Cylinders	Teeth	Vacuum Pump
SY71231	10.71" 272mm	4	14	Yes



SY1223441	11.34" 288mm	4	14	Yes
-----------	-----------------	---	----	-----



SY43994	11.91" 303mm	4		Yes
---------	-----------------	---	--	-----



SY71217	7.78" 198mm	6		Yes
---------	----------------	---	--	-----



SY71232	7.80" 198mm	6		Yes
---------	----------------	---	--	-----



SY1223443	8.43" 214mm	6	11	Yes
-----------	----------------	---	----	-----



	Total Length	Cylinders	Teeth	Vacuum Pump
SY107484	14.63" 372mm	6	13	No



SY71227	10.79" 274mm	6	13	Yes
---------	-----------------	---	----	-----



SY71220	10.85" 276mm	6	10	Yes
---------	-----------------	---	----	-----



SY71221	12.32" 313mm	6	13	No
---------	-----------------	---	----	----



SY35421	14.63" 372mm	6	13	No
---------	-----------------	---	----	----




SY107481	14.67" 373mm	6	13	No
----------	-----------------	---	----	----







CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Pertronix Distributors Distribuidor Pertronix Allumeurs Pertronix

	Gasket	Cap & Gasket Kit	Rotor Kit	Dust Cover	Magnet Assy	Electronic Module	Drive or Gear Kit	Spring Kit	Weight Kit	Vacuum Advance
SYD11-18A	SY27-001	SY22-1101			SY26-101	SY25-004B		SY18-1006	SY19-1001	
										
SYD21-11A	SY27-001	SY22-1203	SY20-1002	SY21-001	SY26-202	SY25-005B	SY23-1002	SY18-1005	SY19-1003	
										
SYD21-12A	SY27-001	SY22-1202	SY20-1002	SY21-001	SY26-201	SY25-004B	SY23-1003	SY18-1004	SY19-1001	
										
SYD41-01A	SY27-001	SY22-1403	SY20-1003	SY21-001	SY26-401	SY25-008A	SY23-1004	SY18-1007	SY19-1003	
										
SYD41-05A	SY27-001	SY22-1403	SY20-1003	SY21-001	SY26-401	SY25-003A	SY23-1005	SY18-1002	SY19-1001	
										
SYD41-09B	SY27-001	SY22-1403	SY20-1002	SY21-001	SY26-401	SY25-003A	SY23-1002	SY18-1003	SY19-1001	
										
SYD41-10B	SY27-001	SY22-1403	SY20-1002	SY21-001	SY26-401	SY25-003A	SY23-1002	SY18-1003	SY19-1001	
										


 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Pertronix Distributors Distribuidor Pertronix Allumeurs Pertronix

	Gasket	Cap & Gasket Kit	Rotor Kit	Dust Cover	Magnet Assy	Electronic Module	Drive or Gear Kit	Spring Kit	Weight Kit	Vacuum Advance
▼ SYD41-19A 	SY27-001	SY22-1403	SY20-1003	SY21-001	SY26-401	SY25-007A	SY23-1006	SY18-1008	SY19-1003	
SYD41-20A 	SY27-001	SY22-1403	SY20-1003	SY21-001	SY26-401	SY25-003A	SY23-1007	SY18-1009	SY19-1001	
SYD43-04B 	SY27-002	SY22-1404	SY20-1001	SY21-001	SY26-401	SY25-001A	SY23-1001	SY18-1001	SY19-1001	SY24-001
SYD61-06A 	SY27-001	SY22-1602	SY20-1003	SY21-001	SY26-601	SY25-003A	SY23-1005	SY18-1002	SY19-1001	

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Switches Interruptor del Encendedor Contacts à Clé



L1 = Total length from terminals to thread screws
L2 = Total length of thread screws
D1 = Total diameter of thread screws

L1 = Longitud total desde las terminales hasta los tornillos de rosca
L2 = Longitud total de los tornillos de rosca
D1 = Diámetro total de los tornillos de rosca


L1 = Longueur total entre les terminaux et le pas de vis
L2 = Longueur total du pas de vis
D1 = Diamètre total du pas de vis

		L1	L2	D1	Connection Type	Terminals
SY1244369		1.57" 40mm		0.82" 21mm	Solder	3
SY86108		1.70" 43mm	0.67" 17mm	0.75" 19mm	Blade: 0.25" 6mm	2
SY77885		1.93" 49mm	0.78" 20mm	0.75" 19mm	Screw	2
SY41495		2.04" 52mm	0.70" 18mm	0.73" 18.9mm	Screw	2
SY86106		2.08" 53mm	0.51" 13mm	0.86" 22mm	Blade: 0.25" 6mm	3
SY43414		2.13" 54mm	0.59" 15mm	0.82" 21mm	Screw	2
SY108139		2.13" 54mm	0.35" 9mm	0.86" 22mm	Screw	3
SY99473		2.13" 54mm	0.35" 9mm	0.87" 22mm	Screw	3
SY77889		2.15" 55mm	0.40" 10mm	0.86" 22mm	Screw	3





















 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Ignition Switches Interruptor del Encendedor Contacts à Clé

		L1	L2	D1	Connection Type	Terminals
SY41688		2.26" 57mm	0.47" 12mm	0.75" 19mm	Blade: 0.25" 6mm	2
SY1211148		2.27" 58mm	0.35" 9mm	0.85" 22mm	Plug	4
SY99091		2.36" 60mm	0.70" 18mm	0.67" 17mm	Blade: 0.18" 5mm	2
SY40282		2.48" 63mm	0.31" 8mm	0.63" 16mm	Studs	2
SY1244361		2.48" 63mm	0.59" 15mm	0.75" 19mm	Blade: 0.25" 6mm	3
SY1248947		2.56" 65mm	0.39" 10mm	0.98" 25mm	Screw	2
SY77809		2.57" 65mm	0.58" 15mm	0.74" 19mm	Blade: 0.25" 6mm	2
SY86101		2.64" 67mm	0.47" 12mm	0.87" 22mm	Screw	2
SY86119		2.80" 71mm	0.98" 25mm	0.79" 20mm	Screw	2
SY1248652		2.91" 74.0mm	0.43" 11mm	0.78" 25mm	Blade: 0.25" 6mm and screw	

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Switches Interruptor del Encendedor Contacts à Clé

		L1	L2	D1	Connection Type	Terminals
SY86103		1.70" 47mm	0.31" 8mm	0.98" 25mm	Solder	3
						
SY96854		1.85" 47mm	0.19" 5mm	0.98" 25mm	Solder	4
						
SY1244357		1.89" 48mm		0.86" 22mm	Screw	3
						
SY96930		1.89" 48mm	0.19" 5mm	0.98" 25mm	Socket	4
						
SY86097		2.05" 52mm	0.67" 17mm	0.87" 22mm	Blade: 0.25" 6mm	3
						
SY83389		2.36" 60mm	0.35" 9mm	0.63" 16mm	Screw	4
						
SY48085		2.48" 63mm	0.33" 8mm	0.79" 20mm	Blade: 0.25" 6mm	3
						
SY45797		2.51" 64mm	0.29" 7mm	0.98" 25mm	Screw	5
						
SY86121		3.19" 81mm	0.30" 7mm	0.79" 20mm	Screw	2
						
SY45360		2.13" 54mm	0.28" 7mm	0.98" 25mm	Blade: 0.25" 6mm and pin	7
						

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Ignition Switches Interruptor del Encendedor Contacts à Clé

		L1	L2	D1	Connection Type	Terminals
SY23054			2.17" 55mm	0.30" 7mm	0.98" 25mm	Pin 6
SY1248953			2.17" 55mm	0.30" 7mm	0.98" 25mm	Pin 6
SY1248601			2.28" 58mm	0.43" 11mm	0.98" 25mm	Solder connection 4
SY71234			2.44" 62mm	0.71" 18mm	0.87" 22mm	Blade: 0.25" 6mm 4
SY31-302			2.44" 62mm	0.31" 8mm	0.98" 25mm	Screw 5
SY41568			2.44" 62mm	0.30" 7mm	0.98" 25mm	Blade: 0.25" 6mm 7
SY46963			2.44" 62mm	0.30" 7mm	0.98" 25mm	Blade: 0.25" 6mm 7
SY1236716			2.44" 62mm	0.39" 10mm	0.98" 25mm	Screw 4
SY31257			2.48" 63mm	0.47" 12mm	0.79" 20mm	Blade: 0.25" 6mm 4
SY1223015			2.48" 63mm	0.47" 12mm	0.79" 20mm	Blade: 0.20" 5mm 4

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Ignition Switches Interruptor del Encendedor Contacts à Clé

		L1	L2	D1	Connection Type	Terminals
SY86098			2.50" 63mm	0.28" 7mm	0.98" 25mm	Screw 5
SY1244362			2.51" 64mm	0.39" 10mm	0.98" 25mm	Screw 4
SY42050			2.56" 65mm	0.59" 15mm	0.87" 22mm	Blade: 0.25" 6mm 6
SY86099			2.63" 67mm	0.39" 10mm	0.98" 25mm	Blade: 0.25" 6mm 7
SY1244373			2.67" 68mm	0.39" 10mm	0.98" 25mm	Screw 4
SY1248597			2.73" 69.3mm	0.43" 11mm	0.78" 19.8mm	Blade: 0.25" 6mm 4
SY82321			3.07" 78mm	0.22" 6mm	0.71" 18mm	Blade: 0.25" 6mm and 0.39" 10mm 3
SY86115			3.07" 78mm	0.39" 10mm	1.02" 26mm	Blade: 0.25" 6mm and 0.39" 10mm 7
SY1244375			3.14" 80mm	0.19" 5mm	0.70" 18mm	Blade: 0.25" 6mm 3
SY28-101071			3.18" 81mm	0.35" 9mm	0.98" 25mm	Screw 5





















 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Ignition Switches Interruptor del Encendedor Contacts à Clé

		L1	L2	D1	Connection Type	Terminals	
SY1248945			3.37" 85mm	0.39" 10mm	1.02" 26mm	Blade: 0.25" 6mm and 0.39" 10mm	12
SY1244359			3.46" 88mm	0.35" 9mm	0.98" 25mm	Blade: 0.25" 6mm	4
SY171233			3.54" 90mm	1.06" 27mm	0.87" 22mm	Blade: 0.25" 6mm and 0.39" 10mm	10
SY1244376			4.01" 102mm			Special	3
SYJS-2228			2.13" 54mm	0.35" 9mm	0.86" 22mm	Screw	6
SY1244358			2.13" 54mm	0.59" 15mm	0.86" 22mm	Screw	6
SY1244355			2.16" 55mm	0.31" 8mm	0.86" 22mm	Screw	6
SYJS-2195			2.16" 55mm	0.59" 15mm	0.86" 22mm	Screw	6
SY1244356			2.67" 68mm	0.51" 13mm	0.75" 19mm	Screw	4
SY1248599			2.09" 53mm	0.43" 11mm	0.87" 22mm	Plug	4

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Ignition Switches Interruptor del Encendedor Contacts à Clé

		L1	L2	D1	Connection Type	Terminals	
SY77810			2.59" 66mm	0.60" 15mm	0.73" 19mm	Blade: 0.25" 6mm	4
SY1223444			2.44" 62mm	0.59" 15mm	0.75" 19mm	Screw	3
SY1248598			2.44" 62mm	0.35" 9mm	0.87" 22mm	Plug	6
SY1248595			2.44" 62mm	0.35" 9mm	0.87" 22mm	Plug	6
SY1248600			2.16" 55mm	0.43" 11mm	0.87" 22mm	Screw	6
SY1248948			2.24" 57mm	0.35" 9mm	0.98" 25mm	Blade: 0.25" 6mm	4
SY1244360			2.44" 62mm	0.39" 10mm	0.98" 25mm	Screw	4
SY42229			2.52" 64mm	0.30" 7mm	0.98" 25mm	Screw	5
SY86092			2.68" 68mm	0.39" 10mm	1.02" 26mm	Blade: 0.25" 6mm	7
SY82931			2.75" 70mm	0.47" 12mm	0.75" 19mm	Bolt	4



















 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Ignition Switches Interruptor del Encendedor Contacts à Clé

		L1	L2	D1	Connection Type	Terminals
SY1248596		2.76" 70mm	0.39" 10mm	0.98" 25mm	Blade: 0.25" 6mm	7
						
SY51904		2.91" 74mm	0.28" 7mm	0.71" 18mm	Blade: 0.25" 6mm	4
						
SY52151		2.95" 75mm	0.47" 12mm	0.75" 19mm	Studs	4
						
SY1244363		3.14" 80mm	0.39" 10mm	0.98" 25mm	Bolt	4
						
SY82320		3.07" 78mm	0.22" 5mm	0.71" 18mm	Blade: 0.25" 6mm	3
						
SY86122		2.52" 64mm	0.30" 8mm	0.71" 18mm	Blade: 0.25" 6mm	4
						
SY1248946		2.67" 68mm	0.19" 5mm	0.70" 18mm	Blade: 0.25" 6mm	4
						
SY1211134		2.72" 69mm	0.31" 8mm	1.10" 28mm	Screw	5
						
SY1244372		2.75" 70mm	0.11" 3mm	0.70" 18mm	Blade: 0.25" 6mm	4
						
SY86110		2.91" 74mm	0.43" 11mm	0.79" 20mm	Screw	6
						













 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Switches Interruptor del Encendedor Contacts à Clé

		L1	L2	D1	Connection Type	Terminals
SY82908		2.91" 74mm	0.43" 11mm	0.79" 20mm	Screw	6
						
SY86109		2.91" 74mm	0.43" 11mm	0.79" 20mm	Screw	6
						
SY86118		2.99" 76mm	0.28" 7mm	0.98" 25mm	Screw	6
						
SY47540		2.99" 76mm	0.28" 7mm	0.98" 25mm	Screw	6
						
SY108156		2.99" 76mm	0.51" 13mm	0.71" 18mm	Blade: 0.25" 6mm	4
						
SY1248655		3.15" 80mm	0.35" 9mm	1.02" 26mm	Stud	4
						
SY86111		3.35" 85mm	0.35" 9mm	0.79" 20mm	Screw	6
						
SY42681		3.37" 85mm	0.39" 10mm	0.79" 20mm	Screw	6
						
SY1244364		3.54" 90mm	0.35" 9mm	0.78" 20mm	Screw	6
						
SY86107		3.78" 96mm	0.35" 9mm	0.75" 19mm	Screw	6
						

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wires Cables del Encendedor Câbles d'Allumage

	Total Length ▼		Engine Application		Total Length ▼		Engine Application
SY71190	9.45" 240mm		Continental TM27	SY71186	11.42" 290mm		Nissan A15
							
SY41981	9.84" 250mm		Mitsubishi 4G64	SY71191	12.99" 330mm		Continental TM27
							
SY71189	10.63" 270mm		Nissan H20	SY71188	13.39" 340mm		Continental TM27
							
SY72032	10.63" 270mm		GM 3.0	SY45068	13.78" 350mm		Mazda FE & F2
							
SY1223458	11.22" 285mm		Mitsubishi 4G63	SY1223459	13.78" 350mm		Toyota 2F & 3F
							
SY31276	11.42" 290mm		GM 4.3	SY71185	14.96" 380mm		Nissan H20 & P40
							

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wires Cables del Encendedor Câbles d'Allumage

	Total Length ▼		Engine Application		Total Length ▼		Engine Application
SY71192	15.16" 385mm		Kubota 3-Cyl	SY45069	17.72" 450mm		Mazda FE & F2
							
SY82813	15.75" 400mm		Nissan A15 & H20	SY1223317	18.00" 457mm		Mazda FE & F2
							
SY51446	15.75" 400mm		Nissan H30	SY71542	18.00" 457mm		Kubota WG750
							
SY71535	16.00" 406mm		Ford 416	SY71193	18.31" 465mm		Kubota 3-Cyl
							
SY39915	16.14" 410mm		Mitsubishi 6G72	SY1210114	18.70" 475mm		Kubota F750 & DF752
							
SY52487	16.93" 430mm		Mazda FE & F2	SY95508	18.90" 480 mm		Kubota F750 & DF752
							





⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wires Cables del Encendedor Câbles d'Allumage

	Total Length ▼		Engine Application		Total Length ▼		Engine Application
SY72028	19.09" 485mm		Mazda FE & F2	SY45067	24.02" 610mm		Mazda FE & F2
							
SY45070	19.68" 500mm		Mazda FE & F2	SY1223319	25.40" 645mm		Mazda FE & F2
							
SY1223318	21.00" 533mm		Mazda FE & F2	SY45071	25.98" 660mm		Mazda FE & F2
							
SY50368	21.85" 555mm		Perkins G4.236	SY72042	27.56" 700mm		Toyota 1FZ
							
SY72033	22.44" 570mm		Toyota 1FZ	SY72041	29.13" 740mm		Nissan TB42
							
SY39511	23.62" 600mm		Mitsubishi G672	SY1223320	29.50" 749mm		Mazda FE & F2
							







⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wires Cables del Encendedor Cables d'Allumage

	Total Length ▼		Engine Application		Total Length ▼		Engine Application
SY71187	29.53" 750mm		Perkins G4.236	SY1210265	34.65" 880mm		Ford VSG 411 & 413
							
SY72035	32.28" 820mm		Toyota 1FZ & 3Z	SY72037	41.34" 1050mm		Toyota 1FZ
							
SY1210266	33.07" 840mm		Ford VSG 411 & 413	SY72036	45.28" 1150mm		Toyota 1FZ
							
SY72031	34.65" 880mm		Toyota 1FZ	SY72034	54.72" 1390mm		Toyota 1FZ
							







⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable				Lead 5	Lead 6	Engine Application
		Length	Lead 1	Lead 2	Lead 3			
SY31282	3	36.22" 920mm	25.98" 660mm	27.95" 710mm			GM 4.3	
								
SY31287	3		25.98" 660mm	28.35" 720mm	34.25" 870mm		GM 4.3	
								
SY71175	3		33.07" 840mm	34.25" 870mm	36.61" 930mm		GM 4.3	
								
SY71164	3		33.86" 860mm	35.83" 910mm	40.55" 1030mm		GM 4.3	
								
SY72040	4		9.84" 250mm	11.02" 280mm	16.73" 425mm	20.47" 520mm	GM 2.4	
								
SY82815	4		9.84" 250mm	11.02" 280mm	14.57" 370mm	17.72" 450mm	Nissan H20-II	
								







⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable		Lead 1	Lead 2	Lead 3	Lead 4	Lead 5	Lead 6	Engine Application
		Length								
SY51997	4			10.63" 270mm	12.20" 310mm	12.99" 330mm	15.75" 400mm			Toyota 4Y
										
SY1223461	4			11.22" 285mm	12.20" 310mm	18.11" 460mm	22.05" 560mm			GM 2.4
										
SY1210808	4			12.00" 310mm	15.00" 390mm	19.00" 480mm	22.00" 550mm			GM 1.6
										
SY77925	4			12.20" 310mm	14.17" 360mm	18.90" 480mm	23.62" 600mm			Ford 2.3 & 2.5
										
SY46625	4			15.35" 390mm	15.35" 390mm	16.14" 410mm	24.02" 610mm			GM 3.0
										
SY1223462	4			15.94" 405mm	18.70" 475mm	20.67" 525mm	24.61" 625mm			GM 2.4
										







⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable		Lead 1	Lead 2	Lead 3	Lead 4	Lead 5	Lead 6	Engine Application
		Length								
SY1223321	4			17.00" 425mm	20.00" 515mm	24.00" 605mm	28.00" 720mm			Mazda FE & F2
										
SY77924	4			23.82" 605mm	25.20" 640mm	30.12" 765mm	32.68" 830mm			Ford LRG-425 EFI
										
SY71179	4			28.35" 720mm	33.86" 860mm	33.86" 860mm	38.98" 990mm			Mitsubishi 4G63
										
SY71172	4	13.78" 350mm		30.51" 775mm	33.07" 840mm	36.22" 920mm				GM 4.3
										
SY45057	4			38.98" 990mm	38.98" 990mm	38.98" 990mm	42.13" 1070mm			GM 2.2
										
SY51995	5	16.54" 420mm		7.48" 190mm	7.48" 190mm	12.60" 320mm	14.57" 370mm			Toyota 4P
										

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable					Lead 5	Lead 6	Engine Application
		Length	Lead 1	Lead 2	Lead 3	Lead 4			
SY31277	5	27.17" 690mm	8.27" 210mm	8.27" 210mm	14.57" 370mm	22.05" 560mm			Mazda UA
									
SY23075	5	11.22" 285mm	9.25" 235mm	11.61" 295mm	12.40" 315mm	16.54" 420mm			GM 4.0
									
SY1244351	5	9.00" 229mm	9.25" 235mm	10.12" 257mm	14.25" 362mm	17.37" 441mm			Waukesha 155
									
SY51994	5	15.75" 400mm	9.45" 240mm	15.35" 390mm	15.35" 390mm	21.65" 550mm			Toyota 5P
									
SY41163	5	12.60" 320mm	9.84" 250mm	9.84" 250mm	13.78" 350mm	13.78" 350mm			Continental TM27
									
SY1236717	5	11.02" 280mm	10.24" 260mm	11.02" 280mm	15.35" 390mm	18.11" 460mm			Nissan H20
									

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable					Engine Application
		Length	Lead 1	Lead 2	Lead 3	Lead 4	
SY1236715	5	11.02" 280mm	10.24" 260mm	11.02" 280mm	15.35" 390mm	18.11" 460mm	Perkins G4.236



SY1236718	5	11.02" 280mm	10.24" 260mm	11.02" 280mm	15.35" 390mm	18.11" 460mm	AC G153
-----------	---	-----------------	-----------------	-----------------	-----------------	-----------------	---------



SY41048	5	13.78" 350mm	10.24" 260mm	12.60" 320mm	14.17" 360mm	18.50" 470mm	Nissan H20
---------	---	-----------------	-----------------	-----------------	-----------------	-----------------	------------



SY71177	5	10.63" 270mm	10.63" 270mm	10.63" 270mm	14.96" 380mm	14.96" 380mm	Continental TM27
---------	---	-----------------	-----------------	-----------------	-----------------	-----------------	------------------



SY41038	5	15.75" 400mm	10.63" 270mm	10.63" 270mm	12.60" 320mm	12.60" 320mm	Continental F163
---------	---	-----------------	-----------------	-----------------	-----------------	-----------------	------------------









SY1236714	5	15.75" 400mm	10.63" 270mm	10.63" 270mm	12.60" 320mm	12.60" 320mm	Toyota 5R
-----------	---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------









⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable					Lead 5	Lead 6	Engine Application
		Length	Lead 1	Lead 2	Lead 3	Lead 4			
SY940695	5	17.52" 445mm	11.02" 280mm	11.02" 280mm	17.72" 450mm	17.72" 450mm			GM 3.0
									
SY31274	5	11.81" 300mm	12.99" 320mm	13.98" 355mm	14.96" 380mm	18.31" 465mm			GM 3.0
									
SY41171	5	13.39" 340mm	13.39" 340mm	13.39" 340mm	18.50" 470mm	21.65" 550mm			Perkins G4.236
									
SY71180	5	30.71" 780mm	13.58" 345mm	17.52" 445mm	20.67" 525mm	24.61" 625mm			Mazda F2SM
									
SY23507	5	16.93" 430mm	14.17" 360mm	18.11" 460mm	20.87" 530mm	26.77" 680mm			Mazda FE & F2
									
SY1223464	5	18.90" 480mm	14.17" 360mm	14.17" 360mm	16.14" 410mm	16.14" 410mm			Nissan J15
									







⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable					Engine Application
		Length	Lead 1	Lead 2	Lead 3	Lead 4	
SY35706	5	14.96" 380mm	14.57" 370mm	18.11" 460mm	21.06" 535mm	24.02" 610mm	GM 6.0
							
SY43626	5	18.11" 460mm	14.96" 380mm	14.96" 380mm	14.96" 380mm	20.08" 510mm	Hercules 1404
							
SY31279	5	18.11" 460mm	14.96" 380mm	18.90" 480mm	21.26" 540mm	25.98" 660mm	Mazda FE
							
SY31278	5	21.26" 540mm	15.35" 390mm	15.35" 390mm	16.93" 430mm	21.26" 540mm	Mazda UA
							
SY44006	5	27.56" 700mm	16.93" 430mm	17.72" 450mm	19.29" 490mm	25.20" 640mm	Peugeot XN1P
							
SY71170	5	18.90" 480mm	17.72" 450mm	18.50" 470mm	18.90" 480mm	20.47" 520mm	Nissan J15 & H20
							







 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable		Lead 1	Lead 2	Lead 3	Lead 4	Lead 5	Lead 6	Engine Application
		Length								
SY40367	5	13.98" 355mm		20.87" 530mm	17.72" 450mm	13.58" 345mm	13.39" 340mm			Waukesha G436
										
SY3071444	5			26.00" 660mm	23.00" 584mm	23.00" 584mm	23.00" 584mm			Universal - ends come unfinished
										
SY40260	5	10.04" 255mm		24.61" 625mm	26.38" 670mm	26.57" 675mm	29.13" 740mm			Waukesha FC133
										
SY41154	5	12.99" 330mm		25.20" 640mm	31.10" 790mm	33.46" 850mm	38.98" 990mm			Mitsubishi 4G54
										
SY71169	5	11.81" 300mm		25.98" 660mm	31.30" 795mm	34.06" 865mm	38.58" 980mm			Mitsubishi 4G52
										
SY31288	5	32.28" 820mm		25.98" 660mm	28.35" 720mm	33.86" 860mm	34.25" 870mm			Mazda D5
										

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable					Lead 5	Lead 6	Engine Application
		Length	Lead 1	Lead 2	Lead 3	Lead 4			
SY82816	5	41.61" 1057mm	25.98" 660mm	29.53" 750mm	35.83" 910mm	35.83" 910mm			Nissan Z24
									
SY71182	5	42.13" 1070mm	26.38" 670mm	27.95" 710mm	36.22" 920mm	37.01" 940mm			Nissan Z24
									
SY107485	5	20.47" 520mm	27.17" 690mm	30.71" 780mm	33.07" 840mm	35.43" 900mm			Mitsubishi 4G33
									
SY42653	5	12.20" 310mm	28.74" 730mm	33.86" 860mm	33.86" 860mm	38.98" 990mm			Mitsubishi 4G64
									
SY1220219	5	16.92" 430mm	30.90" 785mm	34.44" 875mm	34.44" 875mm	40.55" 1030mm			Mitsubishi 4G63 & 4G64
									
SY31284	6		14.96" 380mm	14.96" 380mm	17.32" 440mm	18.90" 480mm	24.80" 630mm	27.56" 700mm	GM 250 CID
									

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage


	Cables ▼	Coil Cable						Engine Application	
		Length	Lead 1	Lead 2	Lead 3	Lead 4	Lead 5		Lead 6
SY107486	6		18.50" 470mm	21.65" 550mm	28.35" 720mm	29.13" 740mm	36.61" 930mm	39.76" 1010mm	Nissan TB45



SY71166	6	31.50" 800mm	18.90" 480mm	24.61" 625mm	27.95" 710mm	31.69" 805mm	33.86" 860mm		Mazda F2SA
---------	---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	--	------------




SY31283	6		25.59" 650mm	25.59" 650mm	29.13" 740mm	34.25" 870mm	37.40" 950mm	39.37" 1000mm	GM 4.3
---------	---	--	-----------------	-----------------	-----------------	-----------------	-----------------	------------------	--------



SY71171	7	15.35" 390mm	8.27" 210mm	9.45" 240mm	13.39" 340mm	15.35" 390mm	17.32" 440mm	17.32" 440mm	Nissan P40
---------	---	-----------------	----------------	----------------	-----------------	-----------------	-----------------	-----------------	------------









SY71184	7	22.05" 560mm	8.66" 220mm	9.45" 240mm	13.78" 350mm	14.96" 380mm	17.72" 450mm	17.72" 450mm	Nissan P40
---------	---	-----------------	----------------	----------------	-----------------	-----------------	-----------------	-----------------	------------




SY51996	7	17.32" 440mm	9.45" 240mm	9.45" 240mm	14.96" 380mm	14.96" 380mm	18.11" 460mm	18.11" 460mm	Toyota 2F
---------	---	-----------------	----------------	----------------	-----------------	-----------------	-----------------	-----------------	-----------










Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable							Engine Application
		Length	Lead 1	Lead 2	Lead 3	Lead 4	Lead 5	Lead 6	
SY40353	7	13.39" 340mm	9.65" 245mm	9.65" 245mm	9.65" 245mm	12.60" 320mm	12.60" 320mm	15.55" 395mm	Continental F245
									
SY40248	7	14.17" 360mm	11.02" 280mm	12.60" 320mm	12.60" 320mm	13.78" 350mm	20.08" 510mm	20.08" 510mm	AC G230
									
SY71168	7	14.17" 360mm	11.02" 280mm	12.60" 320mm	12.60" 320mm	13.78" 350mm	20.08" 510mm	20.08" 510mm	Continental F245
									
SY52735	7	14.17" 360mm	11.02" 280mm	12.60" 320mm	12.60" 320mm	13.78" 350mm	20.08" 510mm	20.08" 510mm	Continental F245
									
SY52302	7	16.93" 430mm	11.42" 290mm	11.42" 290mm	14.57" 370mm	14.57" 370mm	17.52" 445mm	17.52" 445mm	Chrysler Slant-6
									
SY52315	7	18.50" 470mm	11.42" 290mm	11.42" 290mm	17.32" 440mm	17.32" 440mm	17.32" 440mm	17.32" 440mm	Chrysler H225
									

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable						Engine Application	
		Length	Lead 1	Lead 2	Lead 3	Lead 4	Lead 5		Lead 6
SY72026	7	16.54" 420mm	14.57" 370mm	14.57" 370mm	14.96" 380mm	20.08" 510mm	22.44" 570mm	25.98" 660mm	GM 250 CID
									
SY71167	7	16.54" 420mm	18.11" 460mm	19.29" 490mm	22.83" 580mm	24.41" 620mm	24.41" 620mm	27.56" 700mm	Mitsubishi 6G72
									
SY71165	7	42.13" 1070mm	19.69" 500mm	22.83" 580mm	30.31" 770mm	31.50" 800mm	38.58" 980mm	42.13" 1070mm	Nissan TB42
									
SY80453	7	17.25" 438mm	22.00" 559mm	22.75" 578mm	24.50" 622mm	27.63" 702mm	28.25" 718mm	29.50" 749mm	GM 4.3
									
SY107487	7	12.60" 320mm	22.05" 560mm	22.05" 560mm	22.64" 575mm	24.02" 610mm	24.02" 610mm	28.74" 730mm	GM 4.3
									
SY71183	7	15.35" 390mm	22.05" 560mm	22.05" 560mm	22.64" 575mm	24.41" 620mm	24.41" 620mm	28.54" 725mm	GM 4.3
									

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable						Engine Application	
		Length	Lead 1	Lead 2	Lead 3	Lead 4	Lead 5		Lead 6
SY34517	7	16.14" 410mm	22.44" 570mm	23.23" 590mm	23.23" 590mm	24.80" 630mm	24.80" 630mm	28.35" 720mm	GM 4.3



SY71174	7	17.72" 450mm	22.44" 570mm	23.23" 590mm	25.00" 635mm	27.36" 695mm	28.35" 720mm	29.13" 740mm	GM 4.3
---------	---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	--------



SY71181	7	16.73" 425mm	22.64" 575mm	23.62" 600mm	25.20" 640mm	28.35" 720mm	28.54" 725mm	29.33" 745mm	GM 4.3 EPA Compliant
---------	---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	----------------------



SY72025	7	18.70" 475mm	22.64" 575mm	23.82" 605mm	23.82" 605mm	25.79" 655mm	25.98" 660mm	28.54" 725mm	GM 4.3 EPA Compliant
---------	---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	----------------------



SY1244630	7	17.52" 445mm	22.83" 580mm	23.43" 595mm	23.43" 595mm	25.39" 645mm	25.39" 645mm	28.74" 730mm	GM 4.3
-----------	---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	--------








SY71173	7	13.39" 340mm	23.23" 590mm	25.20" 640mm	26.77" 680mm	26.97" 685mm	27.56" 700mm	30.51" 775mm	GM 4.3
---------	---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	--------



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable						Engine Application	
		Length	Lead 1	Lead 2	Lead 3	Lead 4	Lead 5		Lead 6
SY42663	7	12.60" 320mm	24.80" 630mm	26.38" 670mm	27.17" 690mm	28.35" 720mm	32.28" 820mm	36.22" 920mm	GM 4.3
									
SY1223463	7	13.78" 350mm	24.80" 630mm	25.39" 645mm	26.57" 675mm	29.13" 740mm	33.07" 840mm	33.86" 860mm	GM 4.3
									
SY40008	7	13.78" 350mm	25.59" 650mm	27.56" 700mm	27.56" 700mm	29.92" 760mm	33.86" 860mm	37.80" 960mm	GM 4.3 & G6
									
SY31289	7	15.35" 390mm	26.38" 670mm	28.35" 720mm	29.53" 750mm	29.92" 750mm	34.25" 860mm	36.22" 920mm	GM 4.3
									
SY3071446	7	25.98" 660mm	26.57" 657mm	26.57" 675mm	32.48" 825mm	33.66" 855mm	33.66" 855mm	33.66" 855mm	Continental
									
SY81352	7	13.78" 350mm	26.77" 680mm	26.77" 680mm	26.77" 680mm	33.86" 860mm	33.86" 860mm	33.86" 860mm	Chrysler H235 V-6
									

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition Wire Sets Conjunto de Cables del Encendedor Faisceaux d'Allumage

	Cables ▼	Coil Cable						Engine Application	
		Length	Lead 1	Lead 2	Lead 3	Lead 4	Lead 5		Lead 6
SY71176	8	15.35" 390mm	26.38" 670mm	28.35" 720mm	29.53" 750mm	29.92" 760mm	34.25" 870mm	36.22" 920mm	GM 4.3



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Condensers Condensadores Condensateurs

	Length ▼	Diameter	Capacity		Length ▼	Diameter	Capacity		
SY1223465	0.79" 20mm	0.46" 12mm	0.00 uF		SY71259	0.97" 25mm	0.67" 17mm	0.00 uF	
SY48846	0.80" 20mm	0.67" 17mm	0.22 uF		SY48063	1.00" 26mm	0.69" 17mm	0.22 uF	
SY51968	0.83" 21mm	0.59" 15mm	0.25 uF		SY47759	1.00" 26mm	0.69" 17.5mm	0.22 uF	
SY42569	0.87" 22mm	0.59" 15mm	0.27 uF		SY51711	1.02" 26mm	0.67" 17mm	0.22 uF	
SY82825	0.87" 22mm	0.59" 15mm	0.22 uF		SY1223466	1.02" 26mm	0.71" 18mm	0.21 uF	
SY47623	0.87" 22mm	0.59" 15mm	0.22 uF		SY51969	1.06" 27mm	0.67" 17mm	0.25 uF	

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Condensers Condensadores Condensateurs

	Length ▼	Diameter	Capacity
SY82824	1.10" 28mm	0.59" 15mm	0.22 uF



	Length ▼	Diameter	Capacity
SY51229	1.22" 31mm	0.67" 17mm	0.25 uF



SY51232	1.19" 30mm	0.67" 17mm	0.00 uF
---------	---------------	---------------	---------



Voltage Regulators Reguladores de Voltaje Régulateurs de Tension

	Voltage ▼
SY31545	12



	Voltage ▼
SY48082	12



	Voltage ▼
SY71257	12



SY38902	12
---------	----



SY51256	12
---------	----



SY51740	24
---------	----



SY47491	12
---------	----



SY51738	12
---------	----



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition, Cap & Tune-Up Kits

Kit de Calibración para el Encendedor y Tapones Kit de Calibrage pour Allumeurs et Têtes d'Allumage

SY52798 **Used for ▼**
Continental F163



SY331002 **Used for ▼**
Continental F226 & F227



SY86128 Continental F226 & F227



SY86129 Continental F226 & F245



SY302051 Continental F226 & F227



SY43721 Continental F227



SY302350 Continental F226 & F227



SY1223183 Continental F227



SY331056 Continental F226 & F227



SY31258 Ford 4-172 & 4-192



SY332042 Continental F226 & F227



SY302019 Ford 4-172 & 4-192



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition, Cap & Tune-Up Kits

Kit de Calibración para el Encendedor y Tapones Kit de Calibrage pour Allumeurs et Têtes d'Allumage

Used for ▼

SY32195 GM 2.2L



This kit includes several spark plug wires, a distributor cap, and a set of spark plugs.

Used for ▼

SY1223205 GM 3.0L



This kit includes a distributor cap, spark plug wires, and spark plugs.

SY1223031 GM 2.4L LPG



This kit includes spark plug wires, spark plugs, and a distributor cap.

SY1223160 GM 4.0L



This kit includes a distributor cap, spark plug wires, and spark plugs.

SY1223032 GM 2.4L LPG



This kit includes spark plug wires, spark plugs, and a distributor cap.

SY31438 GM 4.0L



This kit includes a distributor cap, spark plug wires, and spark plugs.

SY1223050 GM 2.4L LPG



This kit includes spark plugs, a filter, and various gaskets and seals.

SY31437 GM 4.0L



This kit includes spark plug wires, spark plugs, and a distributor cap.

SY1223180 GM 3.0L



This kit includes spark plug wires, spark plugs, and a distributor cap.

SY31264 GM 4.0L



This kit includes spark plug wires, spark plugs, and a distributor cap.

SY1223182 GM 3.0L



This kit includes a filter, spark plugs, and various gaskets and seals.

SY1223156 GM 4.3L



This kit includes a distributor cap, spark plug wires, and spark plugs.

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition, Cap & Tune-Up Kits

Kit de Calibración para el Encendedor y Tapones Kit de Calibrage pour Allumeurs et Têtes d'Allumage

Used for ▼
GM 4.3L

SY1223157



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

Used for ▼
GM 4.3L

SY1223159



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SY1223186


GM 4.3L



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SY35418

GM 4.3L



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SY1223021

GM 4.3L



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SY47103

GM 4.3L



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SY1244326

GM 4.3L



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SYGM4.3TUKIT

GM 4.3L Early



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SY35419

GM 4.3L



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SY1223022

GM 4.3L Gas



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SY72049

GM 4.3L



This kit includes a distributor cap, a distributor rotor, and four spark plugs.

SY1248027

GM 4.3L Gas















This kit includes a distributor cap, a distributor rotor, and four spark plugs.

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition, Cap & Tune-Up Kits

Kit de Calibración para el Encendedor y Tapones Kit de Calibrage pour Allumeurs et Têtes d'Allumage

	Used for ▼		Used for ▼		
SY1223019	GM 4.3L Gas & LPG		SY1223161	Hercules G1600	
SY1223020	GM 4.3L Gas & LPG		SY1223026	Mazda 2.0/2.2L Gas	
SY47104	GM 4.3L Late		SY1223207	Mazda 2.0/2.2L LPG	
SY1223284	GM 4.3L LPG		SY1223030	Mazda 2.0/2.2L LPG	
SY1223184	GM 6.0L - 250		SY1223028	Mazda 2.0/2.2L LPG	
SY86802	Hercules 14.04		SY1223027	Mazda 2.0/2.2L LPG	

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition, Cap & Tune-Up Kits

Kit de Calibración para el Encendedor y Tapones Kit de Calibrage pour Allumeurs et Têtes d'Allumage

Used for ▼

SY23643

Mazda D5



Used for ▼

SY31436

Mazda M4 - 121



SY23644

Mazda F2 & FE



SY1223181

Mazda M4 - 121G



SY31263

Mazda FE



SY32683

Mazda UA



SY82143

Mazda FE



SY1223158

Mazda UA/VA



SY32188

Mazda M4 - 121



SY1223175

Mazda UA/VA



SY31435

Mazda M4 - 121



SY303013

Mazda VA



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition, Cap & Tune-Up Kits

Kit de Calibración para el Encendedor y Tapones Kit de Calibrage pour Allumeurs et Têtes d'Allumage

SY1223168	Used for ▼ Mitsubishi 4G33	SY1223194	Used for ▼ Mitsubishi 4G63/4G64
			
SY1223169	Mitsubishi 4G52/4G54	SY1244323	Mitsubishi 4G63/4G64
			
SY1223196	Mitsubishi 4G52/4G54	SY1244328	Mitsubishi 4G63/4G64
			
SY1223195	Mitsubishi 4G52/4G54 E	SY1244329	Mitsubishi 4G63/4G64
			
SY304000	Mitsubishi 4G54	SY94241	Mitsubishi 4G63/4G64
			
SY1223172	Mitsubishi 4G63/4G64	SY1223193	Mitsubishi 4G63/4G64 S
			

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition, Cap & Tune-Up Kits

Kit de Calibración para el Encendedor y Tapones Kit de Calibrage pour Allumeurs et Têtes d'Allumage

SY86130 Used for ▼
Nissan A12, H20, D11 & J15



SY1223170 Used for ▼
Nissan H20



SY331150 Nissan A12, D11, G201, H20 & J15



SY1223188 Nissan H20



SY1223189 Nissan A15 & H20



SY1223192 Nissan H20



SY22100-TUKIT Nissan A15, H20 & Z24



SY1223177 Nissan H20 II



SY1223153 Nissan H20



SY1223191 Nissan H20 II



SY1223163 Nissan H20



SY47912 Nissan H20, J15 & D11



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition, Cap & Tune-Up Kits

Kit de Calibración para el Encendedor y Tapones Kit de Calibrage pour Allumeurs et Têtes d'Allumage

	Used for ▼		Used for ▼
SY1244331	Nissan J15		SY47904 Toyota 4Y
SY1223166	Nissan J15		SY86803 Toyota 4Y
SY1223167	Nissan J15 & A15		SY82334 Toyota 4Y
SY1223190	Nissan Z24		SY1223162 Toyota 4Y
SY1223164	Toyota 4P		SY1223174 Toyota 4Y
SY86132	Toyota 4P		SY1223206 Toyota 5K

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Ignition, Cap & Tune-Up Kits

Kit de Calibración para el Encendedor y Tapones Kit de Calibrage pour Allumeurs et Têtes d'Allumage

Used for ▼

SY86131

Toyota 5K



Used for ▼

SY1223165

Toyota 5R



SY86133

Toyota 5P



SY302362

Waukesha D155



SY86134

Toyota 5R



⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov