



LPG


**QUICK
REFERENCE
GUIDE**

**GUÍA DE REFERENCIA
GUIDE DE RÉFÉRENCE FACILE**

KEEPS YOU GOING.




| AISAN | | | | | |
|---|-----------|-----------------------|---|-----------------|----------------|
| | | Description ▼ | Application | Notes | Years |
|  | SY1237617 | Diaphragm assembly | | | |
|  | SY1237619 | Diaphragm assembly | | | |
|  | SY35236 | Filter kit | 6FGCU15-18, 7FGCU15-70, 7FGU15-80 with GM6-262 or 4Y engine | 3-way catalytic | 01/01 to 01/07 |
|  | SY1237618 | Fuel filter | S2.0-3.5FT, H1.6-2.0FT | | |
|  | SY33229 | Fuel lockoff solenoid | 42-6FGU15-25, 42-6FGCU15-30, 7FGU15-32, 7FGCU15-32 with 4Y engine | | 11/97 to 01/00 |
|  | SY51466 | Overhaul kit | 6FG10-30, 7FG10-45 with 4Y and 5K | fuel warning | 08/98 to 09/06 |
|  | SY37836 | Overhaul kit | 42-6FGCU15-18, 7FGCU15-32, 7FGU15-32 with 4Y engine | 3-way catalytic | 01/00 to 01/07 |
|  | SY51468 | Overhaul kit valve | 6FGCU15-18, 7FGCU15-70, 7FGU15-80 with GM6-262 or 4Y engine | 3-way catalytic | 10/00 to 01/07 |
|  | SY37837 | Regulator | 8FGCU20-32, 8FGU15-32 with 4Y engine | | 12/06 and Up |
|  | SY59383 | Regulator | 6FG10-30 with 4Y or 5K engine | | 09/97 to 08/98 |
|  | SY59384 | Regulator | 7FG10-30 with 4Y or 5K engine | | 08/98 to 06/00 |
|  | SY59385 | Regulator | 42-6FG18-25, 42-6FGCU15-30, 52-6FGCU20-30, 52-6FGU20-30 with GM4-181 or 4Y engine | | 01/94 to 11/97 |




| AISAN | | Description ▼ | Application | Notes | Years |
|---|---------|---------------|--|-----------------|------------------------------|
|  | SY59381 | Regulator | 42-6FGCU15-30, 42-6FGU15-25, 52-6FGCU20-30, 52-6FGU20-30, 7FGCU20-32, 7FGU15-32 with 4Y engine | | |
|  | SY37838 | Regulator | 7FGCU15-70, 7FGU15-80 with GM6-262 or 4Y engine | 3-way catalytic | 12/03 to 01/07 |
|  | SY37839 | Regulator | 7FGCU20-32, 7FGU15-32 with 4Y engine | 3-way catalytic | 12/03 to 01/07 |
|  | SY59386 | Regulator | 3FG20-25, 42-3FG20-25, 4FG10-15, 4FGC20-25, 42-4FG10-15, 42-4FGC20-25 with 4P or 5R engine | | 04/78 to 09/80 |
|  | SY59390 | Regulator | 7FGCU15-32, 7FGU15-32 with 4Y engine | | 02/01 to 01/07 |
|  | SY59387 | Regulator | 7FGCU15-70, 7FGU15-80 with GM6-262 or 4Y engine | 3-way catalytic | 12/03 to 01/07 |
|  | SY59388 | Regulator | 7FGCU20-70, 7FGU15-80 with GM6-262 or 4Y engine | Standard 4Y-ECS | "11/00 to 11/06 or 4Y engine |
|  | SY59389 | Regulator | 7FGCU20-32, 7FGU15-32 with 4Y engine | 4Y-ECS | 12/03 to 01/07 |
|  | SY59391 | Regulator | 3FG33-60, 02-3FG33-40 with 2F engine | | 06/80 to 12/90 |
|  | SY59392 | Regulator | 7FG10-45, 42-7FG15-25 with 4Y or 5K engine | fuel warning | 08/98 to 09/06 |
|  | SY59393 | Regulator | 42-6FGU15-25, 42-6FGCU15-30, 7FGU15-32, 7FGCU15-32 with 4Y engine | | 11/97 to 01/00 |
|  | SY59394 | Regulator | 7FGU15-32, 7FGCU15-32 with 4Y engine | fuel warning | 01/00 to 01/07 |

| AISAN | | | | | |
|---|-----------|----------------|--|-----------------|----------------|
| | | Description ▼ | Application | Notes | Years |
|  | SY59395 | Regulator | 7FGU15-80, 7FGCU20-70 with 4Y engine | 3-way catalytic | 12/03 to 01/07 |
|  | SY59396 | Regulator | GLC050-065TG, GLC050-065ZG, GLC040-050RG, GLP050-065TG, GLP050-065ZG, GLP040-050RG, GLC030-040AF (open loop) | | |
|  | SY59397 | Regulator | GLC050-065TG, GLC050-065ZG, GLC040-050RG, GLP050-065TG, GLP050-065ZG, GLP040-050RG, GLC030-040AF, S25-60XM, H25-60XM (closed loop) | | |
|  | SY59398 | Regulator | GLC030-070VX, GLP030-070VX, S25-40XM, H25-40XM, S30-70FT, H30-70FT | | |
|  | SY1237614 | Regulator | | | |
|  | SY1237615 | Regulator | 5FGC10-15, 30-5FGC10-15 4Y or 4p | | |
|  | SY1237620 | Regulator | | | |
|  | SY1237621 | Regulator | | | |
|  | SY1237616 | Valve assembly | | | |

ALGAS


C250A Series - Converter Assembly

| | | Description ▼ |
|---|------------|--|
|  | AGC250A | 2 Stage silver spring |
| | AGC250A-1 | 2 Stage silver spring |
|  | AGSA2330-2 | Diaphragm service assembly 60 series silicone |
|  | AGSA2553-2 | Diaphragm service assembly 80 and 90 series silicone |


| | | Description ▼ |
|--|----------|----------------------------|
|  | AG701 | Filter |
|  | AG1-7010 | Repair kit C250A converter |
|  | AG2210 | Repair kit C250 power ram |

BEAM


120A Series ▼

| | | |
|---|--------|---------------------------------|
|  | BM120A | Regulator with idle vacuum lock |
|---|--------|---------------------------------|


1501-L Series ▼

| | | |
|---|---------|------------------------|
|  | BM1501L | Safety microvac switch |
|---|---------|------------------------|


60 Series - Regulator Tamper Proof ▼

| | | |
|---|--------------|------------------------------------|
|  | BMT60-A-VN-N | Vacuum lock and idle screw |
| | BMT60-A-VP-N | Vacuum lock, idle screw and primer |
| | BMT60-A-NN-N | Idle screw |
| | BMT60-A-NP-N | Idle screw and primer |

60 Series II - Regulator Tamper Proof ▼

| | | |
|---|--------------|---------------------|
|  | BMT60-A-NN-N | Replaced T60E |
| | BMT60-A-NP-N | Replaced T60C, T60G |
| | BMT60-A-VN-N | Replaced T60 |
| | BMT60-A-VP-N | Replaced T60B |

60-RK Series - Repair Kit ▼

| | | |
|---|---------|-----------|
|  | BM60-RK | Model T60 |
|---|---------|-----------|


60-RBK Series - Rebuild Kit ▼

| | | |
|---|--------|-----|
|  | BMRK60 | T60 |
|---|--------|-----|


FL-206 Series-Valve Auto Shutoff Gasoline ▼

| | | |
|--|----------|-------------------------------------|
|  | BMFL-206 | 12V female 1/8 NPT inlet and outlet |
|--|----------|-------------------------------------|


FL-218-12V Series - Filterlock ▼

| | | |
|--|--------------|--|
|  | BMFL-218-12V | 12V LPG 1/4 NPT female inlet 1/4 NPT male outlet |
|--|--------------|--|

FL-418-12V Series - Filterlock ▼

| | | |
|--|--------------|--|
|  | BMFL-418-12V | 12V LPG 1/4 NPT female inlet 1/4 NPT male outlet |
|--|--------------|--|

FL-2513 Series - Repair Kit ▼

| | | |
|--|-----------|--------------------------------------|
|  | BMFL-2513 | Filterlock FL-218 element and gasket |
|--|-----------|--------------------------------------|



| | Description ▼ |
|-----------|---|
| CE2314 | 12V fuelock |
| CE2384B | 12V fuelock filter |
| CE2002 | Carburetor |
| CE2469 | Carburetor |
| CE2518 | Carburetor |
| CE2520 | Carburetor |
| CE323-529 | Coil |
| CE2504A | Converter model 6 with solenoid |
| CE2335B | Converter model G85 with solenoid |
| CE2380 | Converter model G85A with electric primer |
| CE2379 | Converter model G85A with manual primer |
| CE4012 | Converter model G85A without primer |
| CE1477B | Converter model H with solenoid |
| CE168-564 | Drag link |

| | Description ▼ |
|-------------|----------------|
| CE168-568 | Drag link |
| CE168-569 | Drag link |
| CE286-1794 | Filter kit |
| CE286-1798 | Filter kit |
| CE286-1827 | Filter kit |
| CE2685 | Fuelock filter |
| CE286-1301A | Repair kit |
| CE286-1332 | Repair kit |
| CE286-1554 | Repair kit |
| CE286-1688 | Repair kit |
| CE286-1826 | Repair kit |
| CE310-6 | Repair kit |
| CE317-529 | Solenoid |

GFI



| | Description ▼ | Hyster | Yale |
|---------|-----------------------|-----------------|----------------------|
| SY37891 | Adapter injector | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37865 | Adapter injector | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37883 | Adapter injector | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37870 | Drain plug | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37868 | Fitting 3/8" | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37890 | Fuel hose | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37862 | Fuel rail | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37875 | Fuel rail | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37885 | Fuel rail LH assembly | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37884 | Fuel rail RH assembly | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37876 | Fuel sensor | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37871 | Lockoff kit | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37886 | LPG converter | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37867 | LPG filter | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37863 | LPG injector | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37881 | LPG injector | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37878 | LPG regulator | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37887 | LPG repair kit | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37892 | LPG repair kit | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37864 | LPG vapor hose | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37874 | Magnetic filter | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |

GFI


| | Description ▼ | Hyster | Yale |
|---------|--------------------|-----------------|----------------------|
| SY37866 | O-Ring | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37880 | O-Ring adapter | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37872 | O-Ring connector | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37882 | O-Ring inlet | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37877 | O-Ring kit | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37869 | Outlet fitting | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37861 | Oxygen sensor | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37879 | Post CAT O2 sensor | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37888 | Regulator | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37873 | Screw kit | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |
| SY37889 | Throttle assembly | S40-70FT LP/gas | GLP40-70 2.4L LP/gas |

IMPCO
ATGC-30312 Series - Assembly Spectrum Throttle Body ▼


| | |
|------------------------|------------------|
| IMPATGC-30312-32-25-64 | Tier 2 |
| IMPATGC-30312-38-25-64 | Governed, tier 2 |
| IMPATGN-30312-32-25-64 | Governed, tier 2 |
| IMPATGN-30312-38-25-64 | Tier 2 |

AV1 Series - Air Gas Valve ▼


| | |
|----------------|--|
| IMPAV1-14 | Assembly with (reg) flow 72/80 |
| IMPAV1-14-12 | Assembly |
| IMPAV1-14-2 | Assembly with (lean) flow 65/70 |
| IMPAV1-14-3 | Assembly with silicone (reg) flow 72/80 |
| IMPAV1-14-4 | Silicone (lean) flow 65/70 |
| IMPAV1-14-76-2 | Assembly with silicone flow 61/68 Nissan |
| IMPAV1-25413 | Assembly |
| IMPAV1-25413-2 | Assembly with silicone |
| IMPAV1-25590 | Assembly CT60 |
| IMPAV1-30115 | Assembly FT60 tier 1 only |

BP-4T Series - Upgrade Kit ▼


| | |
|----------|------------------------|
| IMPBP-4T | Toyota, 4Y & 4P engine |
|----------|------------------------|

CA55 Series - CA55 Carburetor Assembly ▼


| | |
|----------------|---|
| IMPCA125-094 | Carburetor assembly |
| IMPCA125-100-2 | Carburetor assembly with silicone diaphragm |
| IMPCA125-134 | Carburetor assembly with governor assembly |
| IMPCA125-18 | Carburetor assembly |
| IMPCA125-26 | Carburetor assembly |
| IMPCA125-38 | Carburetor assembly |
| IMPCA125-52 | Carburetor assembly |
| IMPCA125-6 | Carburetor assembly |
| IMPCA125-76-2 | Carburetor assembly lean flow |
| IMPCA125-77G | Carburetor assembly with governor assembly |
| IMPCA125-8 | Carburetor assembly |
| IMPCA125M-292 | Mixer assembly for CA125-134 with air horn |

CA55M Series - Mixer Assembly CA55M ▼



| | |
|----------------|-----------------------------------|
| IMPCA55M-500 | Straight draft |
| IMPCA55M-500-2 | Lean air gas valve straight draft |
| IMPCA55M-500-4 | Lean fuel range straight draft |
| IMPCA55M-500-9 | Lean europe straight draft |

CA100 Series - Carburetor Assembly ▼



| | |
|---------------|--------------------------|
| IMPCA100-10 | 90° |
| IMPCA100-108 | 90° lean burn |
| IMPCA100-110 | 90° |
| IMPCA100-112 | 90° |
| IMPCA100-134 | 90° lean burn |
| IMPCA100-138 | 90° lean burn |
| IMPCA100-139 | 90° |
| IMPCA100-180 | 90° |
| IMPCA100-183 | 90° twin spring return |
| IMPCA100-194 | 90° AA3-67 adapter plate |
| IMPCA100-245 | 90° long shaft |
| IMPCA100-272 | 90° |
| IMPCA100-334 | 90° |
| IMPCA100-498 | 90° |
| IMPCA100-621 | 90° |
| IMPCA100-64G | 90° and adapter plate |
| IMPCA100-656 | 90° |
| IMPCA100-66 | 90° flow 72/80 |
| IMPCA100-70 | 90° |
| IMPCA100-7108 | 90° |
| IMPCA100-8 | 90° |
| IMPCA100-91A | Assembly |

CA125 Series - CA125 ▼



| | |
|----------------|---|
| IMPCA125-094 | Carburetor assembly |
| IMPCA125-100-2 | Carburetor assembly with silicone diaphragm |
| IMPCA125-134 | Carburetor assembly with governor assembly |
| IMPCA125-18 | Carburetor assembly |
| IMPCA125-26 | Carburetor assembly |
| IMPCA125-38 | Carburetor assembly |
| IMPCA125-52 | Carburetor assembly |
| IMPCA125-6 | Carburetor assembly |
| IMPCA125-76-2 | Carburetor assembly lean flow |
| IMPCA125-77G | Carburetor assembly with governor assembly |
| IMPCA125-8 | Carburetor assembly |
| IMPCA125M-292 | Mixer assembly for CA125-134 with air horn |

CB Series - Cobra Converter Assembly ▼



| | |
|-----------------|--------------------|
| IMPCB-30177 | Blue stripe spring |
| IMPCB-30712-002 | -0.05 wc |
| IMPCOBRA | 0.05 wc |
| IMPCOBRA-I | -1.50 wc |

CS4 Series - Cobra Converter Assembly ▼



| | |
|------------------|--------------------------------|
| IMPCS4-30772-004 | Tier 2 no repair kit available |
|------------------|--------------------------------|

EB Series - Converter Assembly Model E ▼




| | |
|------------|--------------------------------|
| IMPEB | Blue spring |
| IMPEB-2 | Blue spring silicone diaphragm |
| IMPEB-2ULC | Blue spring Canada |

ECM Series ▼



| | |
|-------------|--------------|
| IMP0528802 | ECM GM3.0L |
| IMP0728801 | ECM 3.0L ECE |
| IMP0529802 | ECM 3.0L |
| IMP1222701 | ECM GAS 4.3L |
| IMP1527801 | ECM |
| IMP1427701A | ECM |

ET98 Series - Lockoff ▼



| | |
|-------------------|---|
| IMPET98-30515-001 | Filter UL tier 2 |
| IMPET98-50362-001 | ¼ NPT female inlet ¼ NPT male outlet |

FT60M Series - Mixer Assembly ▼



| | |
|-----------------------|--------------------------|
| IMPFT60M-3 | 60 Series feedback |
| IMPFT60M-30741-52-001 | 60 Series tier 2 |
| IMPFT60M-30741-52-002 | 60 Series tier 2 |
| IMPFT60M-30741-52-003 | 60 Series tier 2 |
| IMPFT60M-30741-52-004 | 60 Series tier 2 |
| IMPFT60M-30741-52-005 | 60 Series tier 3 |
| IMPFT60M-31139-52-001 | 60 Series tier 3 |
| IMPFT60M-31139-52-003 | 60 Series tier 3 |
| IMPFT60M-3-3 | Fixed jet .400 open loop |

FT100M-30828-52 Series - Mixer, Tamper Proof ▼



| | |
|------------------------|-------------------|
| IMPFT100M-30828-52-001 | 100 Series tier 2 |
| IMPFT100M-30828-52-003 | 100 Series tier 3 |

FT150 Series - Carburetor Assembly ▼



| | |
|-----------------------|---------------|
| IMPFT150-30919-20-001 | 20-150 tier 3 |
|-----------------------|---------------|

IMPCO
ITK Series - Test Kit ▼


| | |
|----------|------------------------|
| IMPITK-1 | Impco standard systems |
| IMPITK-4 | Impco spectrum 2 and 3 |

JB/JO Series - Model J Converter Assembly ▼


| | |
|-------------|----------------------------------|
| IMPJB | Blue spring |
| IMPJB-2 | Blue spring silicone diaphragm |
| IMPJB-C-725 | Blue spring with check valve |
| IMPJO | Orange spring |
| IMPJO-2 | Orange spring silicone diaphragm |

LB Series - Model L Converter Assembly ▼


| | |
|---------|--------------------------------|
| IMPLB | Blue spring |
| IMPLB-2 | Blue spring silicone diaphragm |

RCV Series - Regulator Check Valve ▼


| | |
|--------------|-------------------------|
| IMPRCV-15834 | Closed loop application |
|--------------|-------------------------|

RK-CA55 Series - Repair Kit Model ▼



| | |
|--------------|----------------|
| IMPRK-CA55 | CA50 and CA55 |
| IMPRK-CA55-2 | CA55 lean burn |

RK-COBRA Series - Repair Kit ▼


| | |
|-------------|-------|
| IMPRK-COBRA | Cobra |
|-------------|-------|

RK-E Series - Repair Kit ▼

| | |
|-----------|---------------------------------|
| IMPRK-E | Model E |
| IMPRK-E-2 | Model E silicone diaphragm |
| IMPRK-E-3 | Model E flurosilicone diaphragm |


RK-EPR Series - Repair Kit ▼


| | |
|-------------|------------------------------|
| IMPRK-EPR-4 | EPR regulator (major) tier 3 |
|-------------|------------------------------|


RK-J Series - Repair Kit ▼

| | |
|-----------|--------------------|
| IMPRK-J | Model J |
| IMPRK-J-2 | Silicone diaphragm |
| IMPRK-J-C | With check valve |


RK-L Series - Repair Kit ▼

| | |
|-----------|----------------------------|
| IMPRK-L | Model L |
| IMPRK-L-2 | Model L silicone diaphragm |


RK-VFF30 Series ▼

| | |
|---------------|-------------------------------------|
| IMPRK-VFF30 | Model VFF30 |
| IMPRK-VFF30-2 | Model VFF30 silicone diaphragm |
| IMPRK-VFF30-3 | Model VFF30 flurosilicone diaphragm |



VFF30 Series ▼

| | |
|------------|--|
| IMPVFF30 | Lockoff/filter |
| IMPVFF30-2 | Lockoff/filter silicone diaphragm |
| IMPVFF30-3 | Lockoff/filter flurosilicone diaphragm |






| | Description ▼ | Application |
|-----------|----------------------|--|
| SY37920 | Adapter | CMP40-50SL CGC40-70 |
| SY37901 | Adapter | C15-C20S(L/CL) C20-35(L/CL) |
| SY1237624 | Air/gas valve | G20-32E3 |
| SY37897 | Bolt | C15-C20S(L/CL) C20-35(L/CL), GC20-35P-5, GC15S-20S, GC20-32P-3 |
| SY37929 | Bolt | C20-35(L)(CL) |
| SY37935 | Bolt | CMP40-50SL CGC40-70 |
| SY37904 | Bracket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37911 | Bracket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37915 | Bracket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37916 | Bracket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37966 | Bracket | GC20-32E-3, GC20-33P-3 |
| SY37912 | Bushing | C15-C20S(L/CL) C20-35(L/CL), GC20-32E-3 |
| SY37924 | Control module | 2.0L LP |
| SY37925 | Control module | 2.4L LP |
| SY37926 | Control module | 2.4L LP |
| SY37927 | Control module | 4.3L LP |
| SY37928 | Control module | 2.4L Diesel |
| SY37956 | Control module | 2.0L LP |
| SY37957 | Control module | 4.3L LP |
| SY37958 | Control module | 2.4L |
| SY37968 | Control module | 4.3L LP |
| SY37936 | Drain | CMP40-50SL CGC40-70 |
| SY37931 | Electric pump | G20-32E-3, G20-33P-3 |
| SY37895 | Fitting | C15-C20S(L/CL) C20-35(L/CL) |
| SY37923 | Fitting | CMP40-50SL CGC40-70 |
| SY1237623 | Fuel pump | G20-32E3 |
| SY37937 | Fuel temp sensor | C15-C20S(L/CL) C20-35(L/CL) |
| SY37896 | Gasket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37903 | Gasket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37907 | Gasket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37908 | Gasket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37930 | Gasket | C20-35(L)(CL) |
| SY37965 | Gasket | GC20-32E-3, GC20-33P-3 |
| SY37918 | Gasket | CMP40-50SL CGC40-70 G50-70S-5, G35-50S, G50S-70S2 |
| SY37943 | Mixer gasket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37944 | Mixer gasket | C15-C20S(L/CL) C20-35(L/CL) |
| SY37909 | Ignition cable | C15-C20S(L/CL) C20-35(L/CL), GC20-35P-5, GC15S-20S, GC20-32P-3 |
| SY37948 | Ignition coil | G35-50S(C)-2, G50-70S-2, G50-70S-2 |
| SY37950 | Ignition coil | C15-C20S(L/CL) C20-35(L/CL), GC20-32E-3, G15-20S(C)-2 |
| SY37961 | Injector | G50-70S-5, G50S-2-70S-5, GC20-33E-5 |
| SY37938 | LP regulator | CMP40-50SL CGC40-70 G50-70S-5, G35-50S, G50S-70S2 |
| SY37941 | LP regulator | C15-C20S(L/CL) C20-35(L/CL) |



| | Description ▼ | Application |
|-----------|-------------------------|---|
| SY37962 | LP regulator | G50-70S-5, G50S-2-70S-5, GC20-33E-5 |
| SY37933 | Carb mixer | C15-C20S(L/CL) C20-35(L/CL), G20-32E-3, G20-33P-3 |
| SY37946 | Carb mixer | CGC40-70, CMP40-50SL, C15-C20S(L/CL) C20-35(L/CL) |
| SY37954 | Carb mixer | C15-C20S(L/CL) C20-35(L/CL), G20-32E-3, G20-33P-3 |
| SY37967 | Carb mixer | C15-C20S(L/CL) C20-35(L/CL), GC30-32P-5, GC20-33P-5, GC15S-18S-2/GS |
| SY37942 | Module ignition control | CGC40-70, CMP40-50SL |
| SY37951 | O2 sensor | C15-C20S(L/CL) C20-35(L/CL), GC20-32E-3, G15-20S(C)-2 |
| SY37898 | O-Ring | C15-C20S(L/CL) C20-35(L/CL), GC20-35P-5, GC15S-20S, GC20-32P-3 |
| SY37899 | O-Ring | C15-C20S(L/CL) C20-35(L/CL) |
| SY37922 | O-Ring | CMP40-50SL CGC40-70 |
| SY37963 | Plate | GC20-32E-3, GC20-33P-3 |
| SY37932 | Regulator assembly | C15-C20S(L/CL) C20-35(L/CL), G20-32E-3, G20-33P-3 |
| SY37953 | Regulator repair kit | RK-2001-RSA |
| SY37955 | Regulator repair kit | RK-2001 Primary diaphragm |
| SY37906 | Screw | C15-C20S(L/CL) C20-35(L/CL) |
| SY37960 | SECM | 3.0L |
| SY37969 | SECM | 2.0L LP Doosan |
| SY37970 | SECM | 2.0L LP Doosan |
| SY37971 | SECM | 2.0L LP Doosan |
| SY37972 | SECM | 2.0L LP Doosan |
| SY37974 | SECM | 2.4L LP Doosan |
| SY37975 | SECM | 2.4L LP Doosan |
| SY37976 | SECM | 2.4L LP Doosan |
| SY37977 | SECM | 2.4L LP Doosan |
| SY37978 | SECM | 2.4L LP Doosan |
| SY37979 | SECM | 4.3L LP Doosan |
| SY37980 | SECM | 4.3L LP Doosan |
| SY37981 | SECM | 4.3L LP Doosan |
| SY37959 | SECM | G424E Dual fuel |
| SY37939 | SECM engine | CGC40-70, CMP40-50SL |
| SY37940 | SECM engine | C15-C20S(L/CL) |
| SY37934 | SECM engine | C20-35(L/CL) |
| SY1237625 | SECM engine | G20-33P, G35 C-5 |
| SY37910 | Sensor | C15-C20S(L/CL) C20-35(L/CL) |
| SY37914 | Sensor | C15-C20S(L/CL) C20-35(L/CL) |
| SY37952 | Solenoid | G50-70S-5, G50S-2-70S-5, GC20-33E-5 |
| SY37919 | Body throttle | CMP40-50SL CGC40-70 G50-70S-5, G35-50S, G50S-70S2 |
| SY37947 | Trim valve | C15-C20S(L/CL) C20-35(L/CL), GC30-32P-5, GC20-33P-5, GC15S-18S-2/GS |
| SY37949 | Trim valve | C15-C20S(L/CL) C20-35(L/CL), GCS15-20S-2, GC50S-2-70S-5 |
| SY37917 | Valve cover | CMP40-50SL CGC40-70 G50-70S-5, G35-50S, G50S-70S2 |
| SY37913 | Washer | C15-C20S(L/CL) C20-35(L/CL) |
| SY37905 | Washer | CMP40-50SL, CGC40-70, G60-70S-5, GC20-33P-5 |











| | Description ▼ | Application | Notes |
|-----------|----------------------|--|---------------------------------------|
| SY37833 | Diaphragm assembly | 1F1, 1F4, L01 and L02 Series | |
| SY37831 | Diaphragm assembly | 1F1 and 1F4 Series | |
| SY37834 | Diaphragm assembly | 1F1, 1F4, L01 and L02 Series | |
| SY37832 | Diaphragm kit | L01 and L02 Series | |
| SY37830 | Repair kit | | Applicable by vaporizer unit |
| SY1237622 | Throttle body | L01 and L02 Series | All with K25 engine |
| SY37835 | Valve assembly | FG/FD 15-35 | |
| SY33394 | Vaporizer | L01 and L02 Series | All with K21 and K25 engine |
| SY37826 | Vaporizer | 1F1 and 1F2 Series | FG15/18/20-20 with K21 engine |
| SY37827 | Vaporizer | FG/FD 15-35 | |
| SY384907 | Vaporizer | FG40K-45K GPK40K/PG40KL/ GP45/GP5 | 2004-2006 TB45 |
| SY37828 | Vaporizer | FG/FD15-35 | |
| SY37829 | Vaporizer | FG15Zn/18ZN/20CN/20N/25N with K21 engine | |
| SY37841 | Vaporizer | L01 and L02 Series | GP15,18,20,25ZN, GP30N K25 engine |
| SY87186 | Vaporizer | | |
| SY384951 | Vaporizer | FG15H/18H-20, FG20 thru 35-16, G20H/20N/25H/25N/30N-16 with K21 and K25 engine | |
| SY37840 | Vaporizer assembly | K21 and K25 engine | AX50, BX50 - K15,21,25, FG/FD10,15,18 |
| SY384909 | Vaporizer assembly | FG20/25/28/30/32/35-16 FD35-50-8 with K21and K25 engine | |
| SY37842 | Vaporizer repair kit | L01 and L02 Series | |












| | Description | Total Height ▼ | Venturi | Mounting Holes | Type Connection Collector Side | Type Connection Throttle Side |
|---------|-------------|-----------------------|---------|----------------|--------------------------------|-------------------------------|
| SY58970 | Carburetor | 4.37" 112mm | Single | 2 | Hose | D |
| SY33297 | Carburetor | 4.41" 112mm | Single | 2 | Hose | D |
| SY58948 | Carburetor | 4.80" 122mm | Double | 4 | Hose | D |
| SY58946 | Carburetor | 4.80" 122mm | Double | 4 | Hose | D |
| SY31692 | Carburetor | 5.00" 127mm | Single | 2 | Hose | D |
| SY58945 | Carburetor | 5.00" 127mm | Single | 2 | Hose | D |

REGO

| | | Description ▼ | | | Description ▼ |
|---|------------|--------------------------|---|-----------|---------------------|
|  | RE3165C | Bleeder #54 orifice |  | RE7513-25 | Seal ring |
|  | RE3174-93L | Cap and lanyard |  | RE7141F | Tank connector |
|  | RE7547B | Filler valve |  | RE7141M | Tank connector |
|  | RE3125L | Hydrostatic relief valve |  | RE9101P5 | Tank shut-off valve |





TOTALSOURCE®

| | Fuel Weight (full) | Mounting Style ▼ | Features | | Fuel Weight (full) | Mounting Style ▼ | Features |
|---|--------------------|---------------------|------------|--|--------------------|------------------|------------|
| SYTB-2  | 33½lb (43½lb) | Horizontal | Stationary | SY384941  | 33½lb | Strap with latch | Stationary |
| SYTB-2-P  | 33½lb | Horizontal | Stationary | SY384942  | 33½lb | Strap with latch | Stationary |
| SYTB2-60  | 33½lb | Latch universal fit | Stationary | SYTB-28  | 33½lb (43½lb) | Vertical | Stationary |
| SYTB-295  | 33½lb | Strap | Stationary | SYTB-3  | 20lb | Vertical | Stationary |
| SY384939  | 33½lb | Strap | Stationary | | | | |





MANCHESTER

| Manchester - Aluminum | LPG Capacity (approx.) ▼ | Water Capacity | Tare Capacity | Collar Diameter | Total Height | Full Fuel Weight | | Diagram |
|---|--------------------------|----------------|---------------|-----------------|--------------|------------------|---|--|
|  SY9720 vapor only | 5gallon (19L) | 48lb (21kg) | 16½lb (7kg) | 10½" (267mm) | 20" (508mm) | 20lb (9kg) |  | A: Male connector - RE7141M |
| SY9721 | 8gallon (30L) | 80lb (36kg) | 23½lb (11kg) | 10½" (267mm) | 27¾" (705mm) | 33½lb (15kg) | | B: Liquid service - RE9101P5 |
| SY9722 | 10gallon (38L) | 104lb (47kg) | 43lb (19kg) | 10¼" (260mm) | 33⅝" (846mm) | 44lb (20kg) | | C: Sight gauge - SY9729 Dial only - SY9728 |
| | | | | | | | | D: Safety relief * |
| | | | | | | | | E: Filler valve - RE7547B |
| | | | | | | | | F: Bleeder valve - RE3165C |
| | | | | | | | | F: Bleeder valve (low emission) - RE3165DP |
| | | | | | | | | * Replacement parts not available |

MANCHESTER

| | | LPG Capacity (approx.) ▼ | Water Capacity | Tare Capacity | Collar Diameter | Total Height | Full Fuel Weight | | Diagram |
|---|----------|---------------------------------|----------------|---------------|-----------------|--------------|------------------|---|---|
|  | SY9723 | 5gallon (19L) | 48lb (21kg) | 27lb (12kg) | 10¼" (260mm) | 19" (483mm) | 20lb (9kg) |  | A: Male connector - RE7141M B: Liquid service - RE9101P5 C: Sight gauge - SY9729 Dial only - SY9728 D: Safety relief* E: Filler valve - RE7547B F: Bleeder valve - RE3165C F: Bleeder valve (low emission) - RE3165DP * Replacement parts not available Δ Does not come with filler valve |
| | SY9724 | 8gallon (30L) | 80lb (36kg) | 36lb (16kg) | 10¼" (260mm) | 27¼" (692mm) | 33½lb (15kg) | | |
| | SY9725 | 10gallon (38L) | 104lb (47kg) | 43lb (19kg) | 10¼" (260mm) | 33⅝" (846mm) | 43½lb (20kg) | | |
| | SY9726 Δ | 8gallon (30L) | 80lb (36kg) | 36lb (16kg) | 10¼" (260mm) | 27¼" (692mm) | 33½lb (15kg) | | |
|  | SY9713 | 3gallon (12L) | 33½lb (15kg) | 22lb (10kg) | 8" (203mm) | 16⅝" (427mm) | 14¼lb (7kg) |  | A: Male connector - RE7141M B: Liquid service - RE9101P5 C: Sight gauge - SY9729 Dial only - SY9728 D: Safety relief* E: Filler valve - RE7547B F: Bleeder valve - RE3165C F: Bleeder valve (low emission) - RE3165DP * Replacement parts not available |
| | SY9715 | 3gallon (12L) | 33½lb (15kg) | 22lb (10kg) | 8" (203mm) | 16⅝" (427mm) | 14¼lb (7kg) | | |

WORTHINGTON

| | | LPG Capacity (approx.) ▼ | Water Capacity | Tare Capacity | Collar Diameter | Total Height | Full Fuel Weight | | Diagram |
|---|----------|---------------------------------|----------------|---------------|-----------------|--------------|------------------|---|--|
| Worthington - Aluminum | | | | | | | | | |
|  | SY9700 | 5gallon (19L) | 50lb (22kg) | 19lb (9kg) | 12½" (318mm) | 21⅜" (583mm) | 20lb (9kg) |  | A: Male connector - RE7141M B: Liquid service - RE9101P5 C: Sight gauge - SY9709 Dial only - SY9728 E: Filler valve - RE7547B G: Bleeder valve - RE3165C G: Bleeder valve (low emission) - RE3165DP * Replacement parts not available" |
| | SY9701 | 8gallon (30L) | 80lb (36kg) | 23½lb (11kg) | 12½" (318mm) | 28⅜" (721mm) | 33½lb (15kg) | | |
| | SY9702 | 10gallon (38L) | 104lb (47kg) | 26½lb (12kg) | 12½" (318mm) | 34⅞" (867mm) | 43½lb (20kg) | | |
| Worthington - Steel | | | | | | | | | |
|  | SY9703 | 5gallon (19L) | 48lb (21kg) | 26½lb (12kg) | 12½" (318mm) | 19" (487mm) | 20lb (9kg) |  | A: Male connector - RE7141M B: Liquid service - RE9101P5 C: Sight gauge - SY9709 Dial only - SY9728 E: Filler valve - RE7547B G: Bleeder valve - RE3165C G: Bleeder valve (low emission) - RE3165DP H: Plugged vapor service * Replacement parts not available Δ Does not come with filler valve |
| | SY9704 | 8gallon (30L) | 80lb (36kg) | 34½lb (16kg) | 12½" (318mm) | 26¾" (692mm) | 33½lb (15kg) | | |
| | SY9705 | 10gallon (38L) | 104lb (47kg) | 40lb (18kg) | 12½" (318mm) | 32¾" (832mm) | 43½lb (20kg) | | |
| | SY9706 Δ | 8gallon (30L) | 80lb (36kg) | 36lb (16kg) | 10¼" (260mm) | 26¾" (379mm) | 33½lb (15kg) | | |

