

PALLET TRUCKS

QUICK REFERENCE GUIDE

**GUÍA DE REFERENCIA
GUIDE DE RÉFÉRENCE FACILE**




KEEPS YOU GOING.

Special order colors available with container load purchase.

Otros colores están disponibles con la compra de un contenedor entero de transpaletas.


Couleurs spéciales disponibles sur demande avec l'achat d'un conteneur de transpalettes.



Entry Rollers



4 Zerks



Adjustable Push/Pull Rods



Powder Coated 3mm metal thickness frame



1 Year pump/parts warranty



Ergonomic handle



	Steer / Load Wheel Configuration	Capacity	Truck Width	Fork Length
SYHJ-5510LP	Poly steer single poly low profile	3,300lb	27"	48"
SYHJ-2772	Poly steer single poly load	4,400lb	27"	72"
SYHJ-5500	Poly steer single poly load	5,500lb	27"	48"
SYHJ-5501	Poly steer single poly load	5,500lb	20 1/2"	48"
SYHJ-5504	Poly steer single poly load	5,500lb	21 1/2"	48"
SYHJ-5505	Poly steer single poly load	5,500lb	27"	36"
SYHJ-5510	Poly steer tandem poly load	5,500lb	27"	48"
SYHJ-5520	Nylon steer single nylon load	5,500lb	27"	48"
SYHJ-5535	Steel steer single steel load	5,500lb	27"	48"
SYHJ-5545	Poly steer single poly load	5,500lb	20 1/2"	36"

REPLACEMENT PARTS REPUESTOS PIÈCES DE RECHARGE

Description	Description
SYHJ-D116 Poly steer wheel	SYHJ-D229 Poly load wheel single
SYHJ-D116N Nylon steer wheel	SYHJ-D229L Poly low profile load wheel single
SYHJ-D116S Steel steer wheel	SYHJ-D229LS Steel low profile load wheel single
SYHJ-D127 Steer wheel bearing	SYHJ-D229N Nylon load wheel single
SYHJ-D220 Load wheel bearing	SYHJ-D229S Steel load wheel single
SYHJ-D220L Load profile load wheel bearing	SYHJ-TUP Touch up paint
SYHJ-D221 Poly load wheel tandem	SYHJ-V Pump kit

Replacement parts available for all brands of pallet trucks.

Repuestos disponibles para transpaletas de toda marca.

Pièces de rechange disponibles pour toutes marques de transpalettes.

TSP5500



Entry and exit rollers



**2 zerks, powder coated
4mm metal thickness frame**



**Adjustable
push/pull rods**



Foot pedal release



**3 year pump warranty
1 year parts warranty**



Ergonomic handle



Special order colors available with container load purchase.

Otros colores están disponibles con la compra de un contenedor entero de transpaletas.

Couleurs spéciales disponibles sur demande avec l'achat d'un conteneur de transpalettes.

	Steer / Load Wheel Configuration	Capacity	Truck Width	Fork Length
TSP5510LP	Poly steer single poly low profile	3,300lb	27"	48"
TSP5550	Poly steer single poly load LP "4 way"	3,300lb	33"	48"
TSP5500	Poly steer single poly load	5,500lb	27"	48"
TSP5501	Poly steer single poly load	5,500lb	21 ½"	48"
TSP5503	Poly steer single poly load	5,500lb	27"	42"
TSP5504	Poly steer single poly load	5,500lb	21"	42"
TSP5505	Poly steer single poly load	5,500lb	27"	36"
TSP5510	Poly steer tandem poly load	5,500lb	27"	48"
TSP5515	Nylon steer single nylon load	5,500lb	27"	36"
TSP5520	Nylon steer single nylon load	5,500 lb	27"	48"
TSP5525	Nylon steer single nylon load	5,500lb	27"	42"
TSP5530	Nylon steer tandem nylon load	5,500lb	27"	48"
TSP5535	Steel steer single steel load	5500lb	27"	48"
TSP5540	Nylon steer single nylon load	5,500lb	20 ½"	48"
TSP5560	Rubber steer single poly load with brake	5,500lb	27"	48"





REPLACEMENT PARTS REPUESTOS PIÈCES DE RECHARGE

Description	Description
TSP226 Load wheel bearing	TSP234L Poly low profile load wheel single
TSP226L Load wheel bearing low profile	TSP310 Poly steer wheel
TSP234N Nylon load wheel single	TSPKIT Pump kit
TSP227N Nylon load wheel tandem	TSP234S Steel load wheel single
TSP310N Nylon steer wheel	TSP310S Steel steer wheel
TSP234 Poly load wheel single	TSP309 Steer wheel bearing
TSP227 Poly load wheel tandem	TSP-TUP Touch up paint




Replacement parts available for all brands of pallet trucks.

Repuestos disponibles para transpaletas de toda marca.


Pièces de rechange disponibles pour toutes marques de transpallettes.


		Steer/Load Wheel Configuration	Capacity	Fork Size (width x length)	Steel
	SYHPT-2000 •3.3"(85mm) to 31.5" (800mm) Operating range	Hi - Lift	3,300lb	27" x 43"	Painted
	SYHPT-2005	Nylon steer Tandem nylon load	4,400 lb	27" x 48"	Stainless
	SYHPT-2010* • Scale capacity 4000lb (2000kg) in 2.2lb (1 kg) Increments	Poly steer Tandem poly load	4,000 lb	22 1/2" x 45"	Painted
	SYHPT-2015	Nylon steer Tandem nylon load	4,400 lb	27" x 48"	Galvanized



Economy Portable High-Riser Skid Lifters


	Steel	Operation	Fork Size (width x length)	Capacity	Description	
	SYL-220-HD	Painted	Hand pump	20½" x 43"	3,000 lb	<ul style="list-style-type: none"> • Designed for use with skids and pallets without an understructure • Front rollers and two swivel casters in rear to allow easy portability • Service range 3½" to 31½" • Constructed of steel
	SYL-270-HD	Painted	Hand pump	20¾" x 43"	3,000 lb	
	SYL-220-DC-HD	Painted	12VDC Power	20" x 45"	3,000 lb	
	SYL-270-DC-HD	Painted	12VDC Power	27" x 45"	3,000 lb	
	SYL-270-HD-SS	Stainless	Hand pump	26¾" x 45"	2,000 lb	
	SYL-270-DC-HD-SS	Stainless	12VDC power	26¾" x 45"	2,000 lb	

CARTS CARRETAS/PLATAFORMAS CHARIOTS

Hardwood Platform Truck		Capacity	Deck Size (width x length)	Description
	SYVHPT-2448	1,600lb	24" x 48"	• Platform height 9"
	SYVHPT-2754	1,600lb	27" x 54"	• 6" x 2" mold-on rubber cast
	SYVHPT-3060	1,600lb	30" x 60"	• Removable push handle
	SYVHPT-3672	1,600lb	36" x 72"	

Hand Cart with Foldable Handle		Overall Size (length x width x height)	Capacity
	SYHTT-300	34¼" x 35" x 24¼"	660lb
		870mm x 890mm x 615mm	300kg




Easy-Access Steel Stock Trucks		Capacity	Overall Size (length x width x height)	Description
	SYEASY-A-1836	1,200lb	18½" x 42¾" x 36"	• Easy access to bottom shelf
	SYEASY-A-2436	1,200lb	24" x 41½" x 36"	• Chrome plated ergonomic push handles
	SYEASY-A-2448	1,200lb	24" x 53½" x 36"	• 5" x 1¼" swivel ball bearing poly casters
	SYEASY-A-1836-WT	1,200lb	18½" x 42¾" x 36"	• WT= optional bolt-on writing surface
	SYEASY-A-2436-WT	1,200lb	24" x 41½" x 36"	• Steel construction
	SYEASY-A-2448-WT	1,200lb	24" x 53½" x 36"	• Assembly required

Ergo-Handle Carts		Maximum Capacity Cart/Shelf	Overall Size (width x length)	Description
	SYDH-MR2-2436	2,400lb/2,00lb	24" x 36"	• 8" x 2" casters with roller bearings
	SYDH-MR2-2448	2,400lb/2,00lb	24" x 48"	• Constructed of heavy-duty steel
	SYDH-MR2-3060	2,400lb/2,00lb	30" x 60"	• Adjustable chrome ergonomic handle

Ergo-Handle Carts		Maximum Capacity Cart/Shelf	Overall Size (width x length)	Description
	SYDH-PH4-2436	4,000lb/2,000lb	24" x 36"	<ul style="list-style-type: none"> • 8" x 2" casters with roller bearings • Constructed of heavy-duty steel • Adjustable chrome ergonomic handle
	SYDH-PH4-2448	4,000lb/2,000lb	24" x 48"	
	SYDH-PH4-2436-3	4,000lb/2,000lb	24" x 36"	
	SYDH-PH4-2448-3	4,000lb/2,000lb	24" x 48"	
	SYDH-PH4-2460	4,000lb/2,000lb	24" x 60"	
	SYDH-PH4-2472	4,000lb/2,000lb	24" x 72"	
	SYDH-PH4-3448	4,000lb/2,000lb	34" x 48"	
	SYDH-PH4-3460	4,000lb/2,000lb	34" x 60"	
	SYDH-PH4-3472	4,000lb/2,000lb	34" x 72"	
	SYDH-PU2.4-2436	4,000lb/2,000lb	24" x 36"	
	SYDH-PU2.4-2448	4,000lb/2,000lb	24" x 48"	
	SYDH-PU2.4-3060	4,000lb/2,000lb	30" x 60"	




HYDRAULIC ELEVATING LIFTS LEVANTADORES HIDRÁULICOS TABLES ÉLÉVATRICES HYDRAULIQUES





Hydraulic Elevating Cart		Capacity	Platform Size (width x length)	Service Range	Description
	SYCART-400	400lb	17½" x 27½"	8¾" to 29"	Single-speed foot pump
	SYCART-750	750lb	19¾" x 32"	15½" to 35½"	Two-speed foot pump
	SYCART-800-D	800lb	20" x 35½"	15½" to 51"	Two-speed foot pump
	SYCART-1000-ID	1,000lb	31½" x 63"	15" to 36"	Single-speed foot pump
	SYCART-1500-D-TS	1,500lb	24" x 47½"	19" to 68"	Two-speed foot pump
	SYCART-1750	1,750lb	20" x 39½"	17" to 40"	Single-speed foot pump
	SYCART-2000	2,000lb	20¾" x 40"	15" to 39"	Two speed auto shift

Hydraulic Elevating Cart		Capacity	Platform Size (width x length)	Service Range	Description
	SYCART-2000-WD	2,000lb	32" x 40"	15" to 39"	Two-speed auto shift
	SYCART-4000	4,000lb	24 x 47"	15½" to 40"	Two-speed foot pump
DC Powered Hydraulic Elevating Cart		Capacity	Platform Size (width x length)	Service Range	Description
	SYCART-1000-DC	1,000lb	20½" x 39¾"	17½" to 37¾"	Single scissor
	SYCART-1000D-DC	1,000lb	20½" x 39¾"	19½" to 63¾"	Double scissor
	SYCART-1000-LD-DC	1,000lb	24½" x 60"	17½" to 45"	Single scissor
	SYCART-2000-DC	2,000lb	20¾" x 40"	15" to 39"	Single scissor
	SYCART-DS-1000	1,000lb	20" x 33"	14" to 42"	Double scissor


HYDRAULIC ELEVATING LIFTS LEVANTADORES HIDRÁULICOS TABLES ÉLÉVATRICES HYDRAULIQUES


DC Powered Hydraulic Elevating Cart		Capacity	Platform Size	Service Range	Description
	SYCART-SCTAB-1000-DC	1,000lb	20" x 40"	15" to 39"	Single scissor
	SYCART-SCTAB-2000-DC	2,000lb	42" x 42"	15" to 39"	Single scissor
	SYCART-SCTAB-500-DC	500lb	20" x 33"	15" to 35"	Single scissor
	SYCART-SCTAB-750D-DC	750lb	20" x 40"	14" to 42"	Double scissor
Stainless Steel Hydraulic Elevating Cart		Capacity	Platform Size	Service Range	Description
	SYCART-1000-PSS	1,000lb	19¾" x 32½"	15½" to 35½"	Single-speed foot pump
	SYCART-1100-SS	1,100lb	23½" x 35½"	13" to 38½"	Two-speed hydraulic pump
DC Powered Scissor Carts		Capacity	Platform Size	Service Range	Description
	SYCART-23-10-DC	1,000lb	24" x 36"	11" to 32½"	12VDCz


DC Powered Scissor Carts		Capacity	Platform Size	Service Range	Description
	SYCART-23-15-DC	1,500lb	24" x 36"	11" to 32½"	12VDC
	SYCART-24-10-DC	1,000lb	24" x 48"	9" to 42½"	12VDC
	SYCART-24-15-DC	1,500lb	24" x 48"	9" to 42½"	12VDC


Manual Powered Scissor Carts		Capacity	Platform Size	Service Range	Description
	SYCART-23-10-M	1,000lb	24" x 36"	11" to 32½"	Two-speed foot pump
	SYCART-23-15-M	1,500lb	24" x 36"	11" to 32½"	Two-speed foot pump
	SYCART-24-10-M	1,000lb	24" x 48"	9" to 42½"	Two-speed foot pump
	SYCART-24-15-M	1,500lb	24" x 48"	9" to 42½"	Two-speed foot pump


INDUSTRIAL HAND TRUCKS CARROS MANUALES DIABLES INDUSTRIELS

Aluminum "P" Handle		Nose Plate Capacity	Nose Plate Platform Capacity	Wheel	Nose Plate	Nose Plate Platform	Overall Size (width x depth x height)
	SYAPHT-500A	500lb	200lb	10" x 3 1/2" Pneumatic wheels	18" x 7 1/2"	12" x 27"	20 1/2" x 18 1/2" x 52 1/2"
	SYAPHT-500A_HR	500lb	200lb	10" x 2 1/2" Hard rubber wheels	18" x 7 1/2"	12" x 27"	18 1/2" x 18 1/2" x 52 1/2"

Steel Dual Handle		Capacity	Wheel	Nose Plate	Overall Size (width x depth x height)
	SYDHHT-500S	500lb	10" x 3 1/2" Pneumatic wheels	13 3/4" x 6 1/2"	22 1/2" x 17 1/2" x 44 1/2"
	SYDHHT-500S-HR	500lb	10" x 2 1/2" Pneumatic wheels	13 3/4" x 6 1/2"	21 1/2" x 17 1/2" x 44 1/2"

Aluminum Dual Handle		Capacity	Wheel	Nose Plate	Overall Size (width x depth x height)
	SYDHHT-500A	500lb	10" x 3 1/2" Pneumatic wheels	18" x 7 1/2"	20 1/4" x 19" x 51 1/4"
	SYDHHT-500A-HR	500lb	10" x 2 1/2" Hard rubber wheels	18" x 7 1/2"	19 1/2" x 19" x 51 1/2"

Steel "P" Handle		Capacity	Wheel	Nose Plate	Overall Size (width x depth x height)
	SYSPHT-500S	500lb	10" x 3 1/2" Pneumatic wheels	14" x 7 1/2"	21" x 18" x 52"
	SYSPHT-500S-HD-HR	600lb	10" x 2 1/2" Hard rubber wheels	20" x 5 1/8"	20" x 16 1/4" x 52"
	SYSPHT-600S-IND	600lb	13" x 4" Pneumatic wheels	14" x 7"	22" x 22" x 52"

Convertible Hand Trucks		Capacity	Wheel	Nose Plate	Overall Size (width x depth x height)
	SYCAHT-500	500lb	10" x 3 1/2" Pneumatic wheels	18" x 7 1/4"	Aluminum, 20 1/2" x 18 7/8" x 51 1/2" (hand truck) Aluminum, 20 1/2" x 46 1/2" x 40 1/2" (platform truck)
	SYDSHT-500-PN	500lb	10" x 3 1/2" Pneumatic wheels	14" x 7"	Steel, 20" x 17" x 48" (hand truck) Steel, 22" x 42" x 36" (platform truck)

