

Fan Clutches Embrague de Ventilador Embrayages de ventilateur

Thermal

	Engaged Temperature	Application
▼ SY41460	155°	Clark C500/Y235 355 IT355
		
SY41461	155°	Clark C500/355 Y355 685 Y685
		


	Engaged Temperature	Application
▼ SY41462	155°	Clark C500/685 Y685 H915 Y1015 HY1015
		


Non-Thermal

	Engaged Temperature	Application
▼ SY1221550		Clark C500-30 235
		

	Engaged Temperature	Application
▼ SY1221551		Clark C500/685 915 Y1015
		

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement



	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY35070	Metal standard	18.50" 470mm	4	2.13" 54mm	2.60" 66mm	5	0.63" 16mm
							
SY34270	Metal standard	13.70" 348mm	4	2.48" 63mm	2.09" 53mm	6	0.94" 24mm
							
SY800361	Metal standard	13.86" 352mm	4	2.13" 54mm	1.97" 50mm	6	1.26" 32mm
							
SY43985	Metal standard	13.94" 354mm	4	2.01" 51mm	2.05" 52mm	6	1.26" 32mm
							
SY46765	Metal standard	14.88" 378mm	4	2.13" 54mm	1.40" 36mm	6	1.26" 32mm
							

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY800362	Metal standard	14.96" 380mm	4	2.13" 54mm	1.46" 37mm	6	0.63" 16mm
							
SY1221245	Metal standard	14.96" 380mm	4	1.57" 40mm	1.34" 34mm	6	0.94" 24mm
							
SY1221310	Metal standard	15.00" 381mm	4	1.97" 50mm	2.17" 55mm	6	1.26" 32mm
							
SY1221301	Metal standard	15.04" 382mm	4	2.13" 54mm	1.57" 40mm	6	0.63" 16mm
							
SY42125	Metal standard	15.47" 393mm	4	2.20" 56mm	2.24" 57mm	6	1.26" 32mm
							
SY1221125	Metal standard	15.67" 398mm	4	2.20" 56mm	2.91" 74mm	6	1.02" 26mm
							
SY73744	Metal standard	15.94" 405mm	4	2.17" 55mm	2.13" 54mm	6	1.26" 32mm
							

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades **Aspas de Ventilador** Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY72010	Metal standard	15.94" 405mm	4	2.13" 54mm	1.85" 47mm	6	0.63" 16mm
							
SY1221282	Metal standard	16.02" 407mm	4	2.13" 54mm	2.24" 57mm	6	0.63" 16mm
							
SY40112	Metal standard	16.02" 407mm	4	1.89" 48mm	2.48" 63mm	6	0.63" 16mm
							
SY1221263	Metal standard	16.22" 412mm	4	2.20" 56mm	2.72" 69mm	6	0.98" 25mm
							
SY48620	Metal standard	16.42" 417mm	4	2.52" 64mm	1.89" 69mm	6	1.61" 41mm
							
SY35410	Metal standard	16.93" 430mm	4	2.13" 54mm	2.28" 58mm	6	0.63" 16mm
							
SY41662	Metal standard	16.93" 430mm	4	3.27" 83mm	2.09" 53mm	6	2.64" 67mm
							

 **CA PROP 65 WARNING:** Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY41691	Metal standard	16.97" 431mm	4	3.25" 83mm	2.30" 59mm	6	2.64" 67mm
							
SY48622	Metal standard	16.97" 431mm	4	2.48" 63mm	1.89" 48mm	6	1.61" 41mm
							
SY54628	Metal standard	17.01" 432mm	4	2.13" 54mm	2.36" 60mm	6	0.75" 19mm
							
SY1221119	Metal standard	17.01" 432mm	4	2.09" 53mm	2.64" 67mm	6	1.18" 30mm
							
SY41670	Metal standard	17.01" 432mm	4	2.20" 56mm	2.05" 52mm	6	1.26" 32mm
							
SY72220	Metal standard	17.32" 440mm	4	2.13" 54mm	2.48" 63mm	6	0.63" 16mm
							
SY53246	Metal standard	17.91" 455mm	4	2.05" 52mm	1.82" 46mm	6	1.10" 28mm
							

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY1221414	Metal standard	17.99" 457mm	4	2.13" 54mm	2.48" 63mm	6	0.63" 16mm
							
SY1221334	Metal standard	17.99" 457mm	4	2.48" 63mm	1.97" 50mm	6	1.65" 42mm
							
SY1221309	Metal standard	17.99" 457mm	4	3.27" 83mm	2.09" 53mm	6	2.64" 67mm
							
SY75097	Metal standard	19.00" 483mm	8	3.11" 79mm	1.56" 40mm	6	1.42" 36mm
							
SY1221283	Metal standard	19.02" 483mm	4	3.27" 83mm	2.05" 52mm	6	2.64" 67mm
							
SY41663	Metal standard	19.53" 496mm	4	3.66" 93mm	2.83" 72mm	6	2.64" 67mm
							
SY35175	Metal standard	20.00" 508mm	4	2.91" 74mm	2.20" 56mm	6	2.05" 52mm
							

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades **Aspas de Ventilador** Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY105215	Metal standard	20.08" 510mm	4	2.13" 54mm	2.36" 60mm	6	0.63" 16mm
							
SY1221258	Metal standard	20.08" 510mm	4	3.27" 83mm	2.68" 68mm	6	2.64" 67mm
							
SY35354	Metal standard	17.95" 456mm	4	2.13" 54mm	2.52" 64mm	7	0.63" 16mm
							
SY32831	Metal standard	17.99" 457mm	4	2.48" 63mm	2.36" 60mm	7	1.61" 41mm
							
SY42058	Metal standard	19.53" 496mm	4	3.27" 83mm	2.40" 61mm	7	2.64" 67mm
							
SY1221308	Metal standard	17.99" 457mm	4	2.13" 54mm	2.13" 54mm	8	0.63" 16mm
							
SY1221281	Metal standard	18.90" 480mm	4	2.36" 60mm	2.09" 53mm	8	0.63" 16mm
							


 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY35039	Metal standard	18.98" 482mm	4	2.13" 54mm	2.13" 54mm	8	0.63" 16mm
							
SY73730	PVC special	14.96" 380mm	4	2.36" 60mm	2.24" 57mm	6	1.26" 32mm
							
SY73723	PVC special	15.04" 382mm	4	2.36" 60mm	1.89" 48mm	6	1.26" 32mm
							
SY31833	PVC special	15.39" 391mm	4	2.20" 56mm	3.31" 84mm	6	0.94" 24mm
							
SY940644	PVC special	15.47" 393mm	1		3.05" 77.50mm	6	0.47" 12mm
							
SY52484	PVC special	15.75" 400mm	4	2.52" 64mm	2.28" 58mm	6	0.94" 24mm
							
SY73733	PVC special	15.83" 402mm	4	2.22" 57mm	2.72" 69mm	6	1.02" 26mm
							


 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY82422	PVC special	15.94" 405mm	4	2.06" 52mm	2.56" 65mm	6	1.10" 28mm
							
SY73747	PVC special	16.85" 428mm	4	2.36" 60mm	2.01" 51mm	6	1.26" 32mm
							
SY48617	PVC special	16.93" 430mm	4	2.13" 54mm	2.17" 55mm	6	1.26" 32mm
							
SY73731	PVC special	18.98" 482mm	4	2.36" 60mm	2.64" 67mm	7	1.42" 36mm
							
SY1221697	PVC special	20.16" 512mm	4	2.36" 60mm	2.83" 72mm	7	1.42" 36mm
							
SY800324	PVC special	20.47" 520mm	4	2.91" 74mm	2.83" 72mm	7	1.97" 50mm
							
SY35681	PVC special	15.75" 400mm	4	2.38" 61mm	2.56" 65mm	10	1.26" 32mm
							

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades **Aspas de Ventilador** Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY107438	PVC special	15.75" 400mm	4	2.76" 70mm	2.44" 62mm	10	2.20" 56mm
							
SY1221705	PVC special	15.75" 400mm	4	2.76" 70mm	2.44" 62mm	10	2.20" 56mm
							
SY82886	PVC special	15.79" 401mm	4	2.72" 69mm	2.44" 62mm	10	2.20" 56mm
							
SY800364	PVC special	16.50" 419mm	4	2.48" 63mm	2.24" 57mm	11	1.61" 41mm
							
SY800363	PVC special	16.85" 428mm	1		2.24" 57mm	11	0.63" 16mm
							
SY1221431	PVC special	17.32" 440mm	4	2.05" 52mm	2.44" 62mm	17	1.14" 29mm
							
SY1210648	PVC standard	14.13" 359mm	4	1.77" 45mm	1.93" 49mm	6	1.10" 28mm
							


 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY73738	PVC standard	14.17" 360mm	4	2.35" 60mm	1.85" 47mm	6	1.26" 32mm
							
SY73724	PVC standard	14.37" 365mm	4	1.57" 40mm	1.65" 42mm	6	0.94" 24mm
							
SY32830	PVC standard	14.88" 378mm	4	2.13" 54mm	2.05" 52mm	6	1.26" 32mm
							
SY52428	PVC standard	14.96" 380mm	4	1.93" 49mm	1.61" 41mm	6	0.94" 24mm
							
SY39616	PVC standard	15.35" 390mm	4	2.38" 60mm	1.71" 44mm	6	1.26" 32mm
							
SY73729	PVC standard	15.47" 393mm	4	2.36" 60mm	1.81" 46mm	6	1.26" 32mm
							
SY73737	PVC standard	15.51" 394mm	4	2.28" 58mm	1.93" 49mm	6	1.42" 36mm
							

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY51646	PVC standard	15.59" 396mm	4	1.57" 40mm	1.85" 47mm	6	0.94" 24mm
							
SY51647	PVC standard	15.59" 396mm	4	2.06" 52mm	1.87" 48mm	6	1.10" 28mm
							
SY51648	PVC standard	15.59" 396mm	4	2.06" 52mm	2.48" 63mm	6	1.10" 28mm
							
SY51649	PVC standard	15.63" 397mm	4	1.57" 40mm	1.73" 44mm	6	0.94" 24mm
							
SY73727	PVC standard	16.14" 410mm	4	2.28" 58mm	1.97" 50mm	6	1.42" 36mm
							
SY73725	PVC standard	16.89" 429mm	4	2.04" 52mm	1.97" 50mm	6	1.26" 32mm
							
SY1221279	PVC standard	16.93" 430mm	4	2.32" 59mm	2.68" 68mm	6	0.63" 16mm
							



 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY73739	PVC standard	17.28" 439mm	4	2.56" 65mm	1.93" 49mm	6	1.50" 38mm
							
SY73735	PVC standard	17.32" 440mm	4	2.07" 53mm	1.93" 49mm	6	1.10" 28mm
							
SY1221226	PVC standard	17.99" 457mm	4	2.32" 59mm	2.68" 68mm	6	0.63" 16mm
							
SY1221252	PVC standard	17.99" 457mm	4	2.32" 59mm	2.68" 68mm	6	1.26" 32mm
							
SY1221302	PVC standard	19.02" 483mm	4	2.32" 59mm	2.48" 63mm	6	0.63" 16mm
							
SY800329	PVC standard	20.90" 531mm	4	2.06" 52mm	2.07" 53mm	6	1.10" 28mm
							
SY940711	PVC standard	14.76" 375mm	4	2.13" 54mm	2.17" 55mm	7	1.26" 32mm
							

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY1221695	PVC standard	14.96" 380mm	4	1.97" 50mm	2.24" 57mm	7	1.30" 33mm
							
SY73726	PVC standard	15.75" 400mm	4	1.97" 50mm	2.24" 57mm	7	1.18" 30mm
							
SY48616	PVC standard	18.03" 458mm	4	2.48" 63mm	3.07" 78mm	7	1.61" 41mm
							
SY940610	PVC standard	18.11" 460mm	4	2.11" 53.5mm	2.16" 55mm	7	1.10" 28mm
							
SY54075	PVC standard	18.15" 461mm	4	2.36" 60mm	2.60" 66mm	7	1.61" 41mm
							
SY73732	PVC standard	18.86" 479mm	4	3.15" 80mm	2.64" 67mm	7	2.20" 56mm
							
SY73742	PVC standard	19.88" 505mm	4	2.50" 64mm	3.39" 86mm	7	1.61" 41mm
							

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov


Fan Blades Aspas de Ventilador Ventilateurs de Refroidissement

	Blade Type/ Shape ▼	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
SY1221696	PVC standard	20.08" 510mm	4	2.48" 63mm	2.72" 69mm	7	1.61" 41mm
							
SY800323	PVC standard	15.67" 398mm	4	2.32" 59mm	2.48" 63mm	10	1.26" 32mm
							
SY87000	PVC standard	15.75" 400mm	4	1.97" 50mm	2.87" 73mm	10	1.18" 30mm
							
SY1221419	Removable blades	14.96" 380mm	4	1.77" 45mm	1.50" 38mm	10	0.63" 16mm
							
SY1221314	Removable blades	15.94" 405mm	3	2.48" 63mm	1.50" 38mm	10	1.89" 48mm
							
SY1221642	Removable blades	16.93" 430mm	4	2.48" 63mm	1.40" 36mm	10	1.61" 41mm
							


 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

Radiator Cap Position



Input/Output Position




Material:


Aluminum Plastic = A/P

Copper Brass = C/B

Draincock Position




Radiator Types:



	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221173 	A/P	V	L2	L	1.42" 36mm	R	1.42" 36mm	25.59" 650mm	37	23.82" 605mm	18.11" 460mm	3.74" 95mm
SY1221165 	A/P	V	L2	R	1.26" 32mm	L	1.26" 32mm	24.21" 615mm	22	22.83" 580mm	17.91" 455mm	2.36" 60mm

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY800347	A/P	V	L2	R	1.38" 35mm	L	1.38" 35mm	24.13" 613mm	20	22.53" 580mm	18.11" 460mm	3.54" 90mm
												
SY73990	A/P	V	L2	R	1.38" 35mm	L	1.38" 35mm	24.02" 610mm	22	22.64" 575mm	18.11" 460mm	3.54" 90mm
												
SY800340	A/P	V	L2	R	1.39" 35mm	L	1.39" 35mm	23.23" 590mm	20	20.00" 508mm	18.50" 470mm	2.50" 64mm
												
SY1221201	A/P	V	L2	R	1.40" 36mm	L	1.40" 36mm	24.02" 610mm	20	22.83" 580mm	17.72" 450mm	3.54" 90mm
												
SY32706	A/P	V	L2	R	1.42" 36mm	L	1.42" 36mm	23.23" 590mm	23	21.65" 550mm	17.91" 455mm	2.95" 75mm
												
SY1221162	A/P	V	L2	R	1.42" 36mm	L	1.42" 36mm	24.80" 630mm	23	22.05" 560mm	18.50" 470mm	2.87" 73mm
												


 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY32714	A/P	V	L2	R	1.42" 36mm	L	1.42" 36mm	24.80" 630mm	20	23.62" 600mm	18.11" 460mm	3.54" 90mm
												
SY71002	A/P	V	L2	R	1.42" 36mm	L	1.42" 36mm	25.59" 650mm	23	24.61" 625mm	18.11" 460mm	3.54" 90mm
												
SY1221216	A/P	V	L2	R	1.42" 36mm	L	1.42" 36mm	25.91" 658mm	23	24.80" 630mm	17.72" 450mm	3.35" 85mm
												
SY1221203	A/P	V	L2	R	1.42" 36mm	L	1.42" 36mm	25.59" 650mm	23	22.83" 580mm	18.70" 475mm	2.76" 70mm
												
SY1221182	A/P	V	L2	R	1.42" 36mm	L	1.42" 36mm	27.36" 695mm	23	24.80" 630mm	18.70" 475mm	2.76" 70mm
												
SY1221104	A/P	V	L2	R	1.42" 36mm	L	1.42" 36mm	25.79" 655mm	20	24.92" 633mm	17.72" 450mm	3.54" 90mm
												


⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY34571	A/P	V	L2	R	1.46" 36mm	L	1.46" 36mm	26.38" 670mm	22	24.21" 615mm	19.21" 488mm	3.70" 94mm
												
SY1221160	A/P	V	L2	R	1.77" 45mm	L	1.77" 45mm	29.92" 760mm	22	25.00" 635mm	21.65" 550mm	3.03" 77mm
												
SY1221210	A/P	H	L5	R	1.32" 34mm	L	1.32" 34mm	27.36" 695mm	20	25.00" 635mm	18.50" 470mm	2.95" 75mm
												
SY34569	A/P	H	L5	R	1.38" 35mm	L	1.38" 35mm	25.59" 650mm	22	22.83" 580mm	19.00" 483mm	3.00" 76mm
												
SY800353	A/P	V	L5	R	1.38" 35mm	L	1.38" 35mm	27.17" 690mm	20	24.80" 630mm	18.50" 470mm	2.84" 73mm
												
SY1221183	A/P	V	L5	R	1.38" 35mm	L	1.38" 35mm	24.80" 630mm	22	21.89" 556mm	18.70" 475mm	2.87" 73mm
												


⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221217	A/P	V	L5	R	1.42" 36mm	L	1.42" 36mm	24.02" 610mm	22	20.94" 532mm	18.74" 476mm	2.87" 73mm
												
SY1221215	A/P	V	L5	R	1.42" 36mm	L	1.42" 36mm	24.80" 630mm	22	21.97" 558mm	18.70" 475mm	2.87" 73mm
												
SY1221181	A/P	V	L5	R	1.42" 36mm	L	1.42" 36mm	24.80" 630mm	20	22.05" 560mm	18.66" 474mm	2.87" 73mm
												
SY800355	A/P	V	L5	R	1.42" 36mm	L	1.42" 36mm	27.17" 690mm	20	24.80" 630mm	18.50" 470mm	2.87" 73mm
												
SY1221200	A/P	V	L5	R	1.42" 36mm	L	1.42" 36mm	24.72" 628mm	20	21.85" 555mm	18.70" 475mm	2.87" 73mm
												
SY1221212	A/P	V	L5	R	1.42" 36mm	L	1.42" 36mm	24.69" 627mm	22	21.85" 555mm	18.50" 470mm	2.48" 63mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221421	A/P	V	L5	R	1.42" 36mm	L	1.42" 36mm	26.46" 672mm	20	23.94" 608mm	18.70" 475mm	2.87" 73mm
												
SY73579	A/P	V	L5	R	1.48" 38mm	L	1.48" 38mm	23.23" 590mm	23	19.69" 500mm	18.21" 463mm	2.17" 55mm
												
SY1221177	A/P	V	R2	L	1.32" 34mm	R	1.32" 34mm	24.80" 630mm	37	21.85" 555mm	18.50" 470mm	2.95" 75mm
												
SY73568	A/P	V	R2	L	1.38" 35mm	R	1.38" 35mm	27.36" 695mm	35	24.21" 615mm	18.90" 480mm	2.95" 75mm
												
SY1221195	A/P	V	R2	L	1.38" 35mm	R	1.38" 35mm	25.67" 652mm	37	24.61" 625mm	17.91" 455mm	3.54" 90mm
												
SY1221166	A/P	V	R2	L	1.39" 35mm	R	1.39" 35mm	25.79" 655mm	40	24.80" 630mm	17.72" 450mm	3.54" 90mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73570	A/P	V	R2	L	1.40" 36mm	R	1.38" 35mm	27.17" 690mm	40	24.80" 630mm	18.90" 480mm	2.93" 75mm
												
SY73567	A/P	V	R2	L	1.42" 36mm	R	1.42" 36mm	24.80" 630mm	37	21.65" 550mm	18.90" 480mm	2.36" 60mm
												
SY32712	A/P	V	R2	L	1.42" 36mm	R	1.42" 36mm	25.00" 635mm	38	23.82" 605mm	18.11" 460mm	3.54" 90mm
												
SY32713	A/P	V	R2	L	1.42" 36mm	R	1.42" 36mm	25.00" 635mm	38	23.82" 605mm	18.11" 460mm	3.54" 90mm
												
SY73551	A/P	V	R2	L	1.42" 36mm	R	1.42" 36mm	25.79" 655mm	37	24.80" 630mm	17.72" 450mm	3.54" 90mm
												
SY73569	A/P	V	R2	L	1.42" 36mm	R	1.42" 36mm	27.36" 695mm	40	25.28" 642mm	18.90" 480mm	2.95" 75mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73581	A/P	V	R2	L	1.46" 37mm	R	1.46" 37mm	25.79" 655mm	40	25.00" 635mm	17.60" 447mm	3.15" 80mm
												
SY1221505	A/P	V	R2	L	1.46" 37mm	R	1.46" 37mm	26.38" 670mm	37	25.00" 635mm	17.52" 445mm	3.35" 85mm
												
SY1221285	A/P	V	R2	L	1.79" 46mm	R	1.79" 46mm	25.00" 635mm	38	23.23" 590mm	18.11" 460mm	3.54" 90mm
												
SY1221502	A/P	V	R2	L	1.85" 47mm	R	1.85" 47mm	24.96" 634mm	37	21.85" 555mm	20.47" 520mm	3.54" 90mm
												
SY73566	A/P	H	R5	L	1.36" 35mm	R	1.36" 35mm	24.80" 630mm	40	21.97" 558mm	18.70" 475mm	2.64" 67mm
												
SY1221207	A/P	V	R5	L	1.85" 47mm	R	1.85" 47mm	30.71" 780mm	40	25.98" 660mm	21.65" 550mm	3.09" 79mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1210611	Aluminum	H	M2	L	1.34" 34mm	R	1.34" 34mm			17.91" 455mm	21.06" 535mm	3.62" 92mm
												
SY1248668	Aluminum	H	M2	L	1.41" 36mm	L	1.41" 36mm	26.37" 670mm	30	27.12" 689mm	28.14" 715mm	4.44" 113mm
												
SY1248664	Aluminum	H	M2	R	2.04" 52mm	L	2.04" 52mm	27.16" 690mm	30	8.85" 225mm	30.23" 768mm	5.11" 130mm
												
SY1248700	Aluminum	V	M2	R	1.06" 27mm	R	1.06" 27mm	16.53" 420mm	25	9.44" 240mm	17.91" 455mm	1.37" 35mm
												
SY1221204	C/B	H	L2	R	1.32" 34mm	L	1.32" 34mm	24.61" 625mm	22	19.69" 500mm	21.85" 555mm	4.53" 115mm
												
SY73536	C/B	H	L2	R	1.38" 35mm	L	1.38" 35mm	21.85" 555mm	25	19.69" 500mm	19.49" 495mm	3.35" 85mm
												

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73535	C/B	H	L2	R	1.44" 37mm	L	1.44" 37mm	21.26" 540mm	25	19.88" 505mm	19.69" 500mm	3.35" 85mm
												
SY73531	C/B	H	L2	R	1.44" 37mm	L	1.44" 37mm	21.46" 545mm	23	19.88" 505mm	19.69" 500mm	3.27" 83mm
												
SY73534	C/B	H	L2	R	1.44" 37mm	L	1.44" 37mm	23.31" 592mm	25	20.08" 510mm	21.65" 550mm	3.27" 83mm
												
SY1221179	C/B	H	L2	R	1.46" 37mm	L	1.46" 37mm	21.54" 547mm	23	19.49" 495mm	19.49" 495mm	3.35" 85mm
												
SY73532	C/B	H	L2	R	1.46" 37mm	L	1.46" 37mm	24.02" 610mm	25	19.69" 500mm	21.65" 550mm	3.15" 80mm
												
SY73533	C/B	H	L2	R	1.46" 37mm	L	1.46" 37mm	21.26" 540mm	25	20.08" 510mm	19.69" 500mm	3.35" 85mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221193	C/B	H	L2	R	1.46" 37mm	L	1.46" 37mm	23.23" 590mm	22	22.36" 568mm	21.65" 550mm	3.27" 83mm
												
SY1221170	C/B	H	L3	R	2.09" 53mm	L	2.09" 53mm	32.80" 833mm	27	24.02" 610mm	30.43" 773mm	4.72" 120mm
												
SY57988	C/B	H	L5	L	1.57" 40mm	R	1.85" 47mm	28.94" 735mm	37	23.23" 590mm	26.18" 665mm	3.94" 100mm
												
SY1221342	C/B	H	M2	L	1.26" 32mm	R	1.26" 32mm	22.83" 580mm		18.70" 475mm	18.31" 465mm	3.35" 85mm
												
SY1221351	C/B	H	M2	L	1.26" 32mm	L	1.26" 32mm	16.34" 415mm	35	18.78" 477mm	18.31" 465mm	4.33" 110mm
												
SY46889	C/B	H	M2	L	1.30" 33mm	R	1.30" 33mm	22.95" 583mm		18.58" 472mm	18.19" 462mm	3.46" 88mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY32124	C/B	H	M2	L	1.34" 34mm	L	1.34" 34mm	16.34" 415mm		18.50" 470mm	18.31" 465mm	3.27" 83mm
												
SY73560	C/B	H	M2	L	1.38" 35mm	R	1.38" 35mm	20.87" 530mm	35	20.28" 515mm	18.11" 460mm	2.95" 75mm
												
SY73559	C/B	H	M2	L	1.42" 36mm	R	1.42" 36mm	19.76" 502mm	37	20.08" 510mm	16.93" 430mm	2.87" 73mm
												
SY107433	C/B	H	M2	L	1.42" 36mm	R	1.42" 36mm	29.72" 755mm	33	24.61" 625mm	25.98" 660mm	3.94" 100mm
												
SY73981	C/B	H	M2	L	1.42" 36mm	R	1.42" 36mm	21.65" 550mm	35	20.08" 510mm	18.31" 465mm	4.41" 112mm
												
SY73530	C/B	H	M2	L	1.42" 36mm	R	1.42" 36mm	22.05" 560mm	35	20.31" 516mm	18.31" 465mm	3.15" 80mm
												


⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY80654	C/B	H	M2	L	1.42" 36mm	R	1.81" 46mm	32.68" 830mm	37	23.03" 585mm	25.98" 660mm	4.13" 105mm
												
SY73578	C/B	H	M2	L	1.46" 37mm	R	1.46" 37mm	20.98" 533mm	37	20.08" 510mm	18.66" 474mm	2.95" 75mm
												
SY1221338	C/B	H	M2	L	1.48" 38mm	R	1.73" 44mm	22.83 580mm	37	21.02" 534mm	19.49" 495mm	3.54" 90mm
												
SY1221440	C/B	H	M2	L	1.48" 38mm	R	1.73" 44mm	26.97" 685mm	35	18.27" 464mm	22.44" 570mm	7.28" 185mm
												
SY1248698	C/B	H	M2	L	1.49" 38mm	R	1.77" 45mm	25.00" 635mm	37	17.71" 450mm	23.89" 607mm	3.30" 84mm
												
SY87969	C/B	H	M2	L	1.57" 40mm	R	1.81" 46mm	26.77" 680mm	37	23.15" 588mm	22.24" 565mm	4.13" 105mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73571 	C/B	H	M2	L	1.57" 40mm	R	1.57" 40mm	25.98" 660mm	24	25.98" 660mm	23.70" 602mm	4.72" 120mm
SY1221196 	C/B	H	M2	L	1.64" 42mm	R	1.64" 42mm	33.07" 840mm	35	24.21" 615mm	30.91" 785mm	4.13" 105mm
SY1221206 	C/B	H	M2	L	1.65" 42mm	R	1.65" 42mm	30.91" 785mm	30	23.90" 607mm	27.17" 690mm	6.89" 175mm
SY1248696 	C/B	H	M2	L	1.85" 47mm	R	2.08" 53mm	26.37" 670mm	25	19.48" 495mm	25.78" 655mm	4.68" 119mm
SY1221526 	C/B	H	M2	M	1.57" 40mm	L	2.01" 51mm	25.59" 650mm	25	26.97" 685mm	27.95" 710mm	4.33" 110mm
SY1221520 	C/B	H	M2	M	2.09" 53mm	L	2.09" 53mm	27.76" 705mm	35	26.77" 680mm	27.95" 710mm	4.53" 115mm

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1248839	C/B	H	M2	R	1.38" 35mm	L	1.38" 35mm	21.46" 545mm	35	20.47" 520mm	18.90" 480mm	3.35" 85mm
												
SY73561	C/B	H	M2	R	1.40" 36mm	L	1.40" 36mm	21.73" 552mm	30	20.51" 521mm	18.98" 482mm	2.83" 72mm
												
SY73528	C/B	H	M2	R	1.40" 36mm	L	1.40" 36mm	20.28" 515mm	23	19.76" 502mm	18.19" 462mm	2.56" 65mm
												
SY1248840	C/B	H	M2	R	1.42" 36mm	L	1.42" 36mm	22.13" 562mm	23	20.59" 523mm	18.50" 470mm	3.46" 88mm
												
SY73983	C/B	H	M2	R	1.42" 36mm	L	1.42" 36mm	21.65" 550mm	37	20.67" 525mm	19.09" 485mm	3.15" 80mm
												
SY73477	C/B	H	M2	R	1.44" 37mm	R	1.44" 37mm	14.76" 375mm	37	19.88" 505mm	16.14" 410mm	2.95" 75mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73529	C/B	H	M2	R	1.45" 37mm	L	1.45" 37mm	21.26" 540mm	37	20.08" 510mm	19.09" 485mm	3.15" 80mm
												
SY107431	C/B	H	M2	R	1.46" 37mm	L	1.46" 37mm	21.65" 550mm	38	19.96" 507mm	18.31" 465mm	2.95" 75mm
												
SY1221315	C/B	H	M2	R	1.46" 37mm	L	1.46" 37mm	21.34" 542mm	23	20.08" 510mm	19.49" 495mm	3.54" 90mm
												
SY107432	C/B	H	M2	R	1.46" 37mm	L	1.46" 37mm	26.77" 680mm	28	20.87" 530mm	22.05" 560mm	2.36" 60mm
												
SY1221514	C/B	H	M2	R	1.57" 40mm	L	1.57" 40mm	28.15" 715mm	37	20.47" 520mm	26.18" 665mm	3.94" 100mm
												
SY1221168	C/B	H	M2	R	1.57" 40mm	L	1.57" 40mm	22.44" 570mm	24	16.85" 428mm	21.14" 537mm	3.54" 90mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1248841	C/B	H	M2	R	1.57" 40mm	R	1.57" 40mm	25.59" 650mm	23	26.97" 685mm	28.74" 730mm	5.12" 130mm
												
SY1221174	C/B	H	M2	R	1.73" 44mm	L	1.73" 44mm	27.76" 705mm	30	23.82" 605mm	25.00" 635mm	4.13" 105mm
												
SY73539	C/B	H	M2	R	1.85" 47mm	R	1.85" 47mm	21.26" 540mm	25	24.61" 625mm	24.02" 610mm	5.04" 128mm
												
SY1210130	C/B	H	R2	L	1.10" 28mm	L	1.39" 35mm	23.43" 595mm	35	16.34" 415mm	25.59" 650mm	3.74" 95mm
												
SY1221219	C/B	H	R2	L	1.69" 48mm	R	1.69" 43mm	23.82" 605mm	35	19.09" 485mm	22.44" 570mm	4.92" 125mm
												
SY1221192	C/B	H	R2	L	1.87" 40mm	R	1.87" 48mm	26.81" 681mm	37	23.15" 588mm	22.64" 575mm	4.13" 105mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY32032	C/B	H	R3	M	1.57" 36mm	L	1.85" 47mm	26.57" 675mm	37	20.87" 530mm	22.24" 565mm	5.12" 130mm
												
SY84296	C/B	V	L1	R	1.41" 36mm	R	1.57" 40mm	17.51" 445mm	37	20.66" 525mm	19.60" 498mm	3.11" 79mm
												
SY1221547	C/B	V	L2	L	1.30" 33mm	R	1.30" 33mm	26.38" 670mm	40	28.74" 730mm	16.73" 425mm	2.56" 65mm
												
SY32025	C/B	V	L2	L	1.42" 36mm	R	1.42" 36mm	25.71" 653mm	37	24.02" 610mm	18.23" 463mm	2.76" 70mm
												
SY1221942	C/B	V	L2	L	1.57" 40mm	R	1.57" 40mm	25.60" 650mm	38	24.61" 625mm	17.42" 450mm	2.76" 70mm
												
SY84295	C/B	V	L2	L	1.57" 40mm	R	1.57" 40mm	26.18" 665mm	40	24.40" 620mm	17.91" 455mm	3.14" 80mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221185	C/B	V	L2	R	1.32" 34mm	L	1.32" 34mm	25.98" 660mm	22	24.61" 625mm	17.52" 445mm	3.35" 85mm
												
SY1221175	C/B	V	L2	R	1.32" 34mm	L	1.32" 34mm	24.21" 615mm	21	22.56" 573mm	17.52" 445mm	3.15" 80mm
												
SY54148	C/B	V	L2	R	1.40" 36mm	L	1.40" 36mm	22.24" 565mm	23	20.47" 520mm	17.72" 450mm	3.35" 85mm
												
SY73989	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	22.36" 568mm	22	20.47" 520mm	17.64" 448mm	3.35" 85mm
												
SY73992	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	20.87" 530mm	23	20.67" 525mm	17.52" 445mm	3.35" 85mm
												
SY32717	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	23.23" 590mm	23	21.85" 555mm	17.72" 450mm	3.54" 90mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY54139	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	24.02" 610mm	21	22.24" 565mm	17.83" 453mm	3.27" 83mm
												
SY73998	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	24.21" 615mm	22	22.44" 570mm	17.52" 445mm	3.35" 85mm
												
SY73999	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	24.01" 610mm	20	22.44" 570mm	17.52" 445mm	3.27" 83mm
												
SY73995	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	25.79" 655mm	23	24.41" 620mm	17.13" 435mm	3.35" 85mm
												
SY80151	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	25.79" 655mm	20	24.41" 620mm	17.52" 445mm	3.15" 80mm
												
SY73575	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	26.18" 665mm	36	24.80" 630mm	18.74" 476mm	2.56" 65mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73542	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	25.75" 654mm	23	24.88" 632mm	17.32" 440mm	3.54" 90mm
												
SY1221161	C/B	V	L2	R	1.42" 36mm	L	1.42" 36mm	25.79" 655mm	22	24.61" 625mm	17.72" 450mm	2.76" 70mm
												
SY1221953	C/B	V	L2	R	1.42" 36mm	L	1.46" 37mm	9.84" 250mm	23	24.41" 620mm	17.32" 440mm	2.76" 70mm
												
SY73558	C/B	V	L2	R	1.46" 37mm	L	1.46" 37mm	22.64" 575mm	21	20.47" 520mm	17.52" 445mm	3.35" 85mm
												
SY1221163	C/B	V	L2	R	1.46" 37mm	L	1.46" 37mm	22.95" 583mm	22	20.47" 520mm	17.52" 445mm	2.76" 70mm
												
SY45581	C/B	V	L2	R	1.48" 38mm	L	1.48" 38mm	24.41" 620mm	21	22.44" 570mm	17.52" 445mm	3.07" 78mm
												

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73562	C/B	V	L2	R	1.61" 41mm	L	1.85" 47mm	28.15" 715mm	23	24.61" 625mm	22.24" 565mm	2.56" 65mm
												
SY73524	C/B	V	L2	R	1.61" 41mm	L	1.85" 47mm	30.12" 765mm	23	26.97" 685mm	22.44" 570mm	3.15" 80mm
												
SY1221296	C/B	V	L2R2	L	1.85" 47mm	R	1.65" 42mm	22.05" 560mm	38	20.67" 525mm	16.34" 415mm	4.53" 115mm
												
SY32711	C/B	V	L3	L	1.57" 40mm	R	1.57" 40mm	26.14" 664mm	38	23.94" 608mm	19.92" 506mm	3.15" 80mm
												
SY1221523	C/B	V	L3	L	1.57" 40mm	R	1.57" 40mm	26.10" 663mm	37	24.02" 610mm	19.88" 505mm	3.27" 83mm
												
SY32719	C/B	V	L3	L	1.57" 40mm	R	1.57" 40mm	26.06" 662mm	38	23.94" 608mm	19.88" 505mm	3.27" 83mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221191	C/B	V	L3	L	1.57" 40mm	R	1.57" 40mm	25.98" 660mm	37	23.90" 607mm	19.96" 507mm	3.15" 80mm
												
SY73985	C/B	V	L3	R	1.32" 34mm	L	1.32" 34mm	25.31" 643mm	23	23.90" 607mm	19.88" 505mm	3.15" 80mm
												
SY73986	C/B	V	L3	R	1.42" 36mm	L	1.42" 36mm	25.20" 640mm	23	23.82" 605mm	19.88" 505mm	3.15" 80mm
												
SY32704	C/B	V	L3	R	1.42" 36mm	L	1.42" 36mm	25.39" 645mm	23	23.82" 605mm	20.08" 510mm	3.27" 83mm
												
SY1221218	C/B	V	L6	L	1.48" 38mm	R	1.48" 38mm	26.30" 668mm	37	24.02" 610mm	19.88" 505mm	2.48" 63mm
												
SY1221194	C/B	V	M2	L	1.32" 34mm	R	1.32" 34mm	22.83" 580mm		18.70" 475mm	18.31" 465mm	3.35" 85mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221202	C/B	V	M2	L	1.48" 38mm	R	1.48" 38mm	24.21" 615mm	37	22.44" 570mm	17.52" 445mm	3.35" 85mm
												
SY32702	C/B	V	M2	L	1.57" 40mm	R	1.61" 41mm	24.04" 611mm	37	22.44" 570mm	17.68" 449mm	2.95" 75mm
												
SY1221176	C/B	H		L	2.05" 52mm	R	2.05" 52mm	33.54" 852mm	38	31.10" 790mm	24.21" 615mm	4.72" 120mm
												
SY1221214	C/B	V	R2	L	1.32" 34mm	R	1.32" 34mm	24.02" 610mm	37	22.64" 575mm	18.70" 475mm	4.92" 125mm
												
SY73996	C/B	V	R2	L	1.38" 35mm	R	1.42" 36mm	25.79" 655mm	37	24.41" 620mm	17.52" 445mm	3.27" 83mm
												
SY73550	C/B	V	R2	L	1.40" 36mm	R	1.40" 36mm	25.98" 660mm	37	24.61" 625mm	17.72" 450mm	3.15" 80mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1248662	C/B	V	R2	L	1.40" 36mm	R	1.40" 36mm	25.98" 660mm	37	24.61" 625mm	17.72" 450mm	3.15" 80mm
												
SY82420	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	25.98" 660mm	37	24.80" 630mm	17.72" 450mm	2.76" 70mm
												
SY73988	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	22.36" 568mm	40	20.67" 525mm	17.52" 445mm	2.95" 75mm
												
SY73564	C/B	V	R2	L	1.42" 36mm	R	1.57" 40mm	22.76" 578mm	37	20.87" 530mm	16.73" 425mm	3.54" 90mm
												
SY73545	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	23.43" 595mm	37	21.85" 555mm	17.72" 450mm	3.15" 80mm
												
SY73547	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	23.62" 600mm	37	21.85" 555mm	17.72" 450mm	3.15" 80mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73541	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	24.02" 610mm	37	22.64" 575mm	17.32" 440mm	3.35" 85mm
												
SY73576	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	24.09" 612mm	23	23.03" 585mm	18.90" 480mm	3.15" 80mm
												
SY73546	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	23.43" 595mm	39	22.05" 560mm	17.91" 455mm	3.54" 90mm
												
SY73548	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	25.39" 645mm	40	24.41" 620mm	17.60" 447mm	3.27" 83mm
												
SY73553	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	27.17" 690mm	40	24.41" 620mm	20.08" 510mm	3.35" 85mm
												
SY73552	C/B	V	R2	L	1.42" 36mm	R	1.42" 36mm	25.98" 660mm	37	24.49" 622mm	17.64" 448mm	3.15" 80mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221186	C/B	V	R2	L	1.46" 37mm	R	1.46" 37mm	23.03" 585mm	39	21.85" 555mm	17.52" 445mm	3.15" 80mm
												
SY1221948	C/B	V	R2	L	1.56" 39.7mm	R	1.86" 47.3mm	22.83" 580mm	35	18.50" 470mm	24.41" 620mm	4.13" 105mm
												
SY73977	C/B	V	R2	L	1.57" 40mm	R	1.57" 40mm	22.83" 580mm		23.62" 600mm	13.58" 345mm	3.35" 85mm
												
SY73572	C/B	V	R2	L	1.57" 40mm	R	1.57" 40mm	27.95" 710mm		25.00" 635mm	18.70" 475mm	4.13" 105mm
												
SY73557	C/B	V	R2	L	1.57" 40mm	L	1.57" 40mm	26.38" 670mm		25.00" 635mm	16.14" 410mm	3.54" 90mm
												
SY73979	C/B	V	R2	L	1.57" 40mm	R	1.55" 39mm	25.20" 640mm		25.20" 640mm	16.18" 411mm	3.46" 88mm
												


⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73976	C/B	V	R2	L	1.57" 40mm	R	1.57" 40mm	24.61" 625mm		25.20" 640mm	13.58" 345mm	3.35" 85mm
												
SY52565	C/B	V	R2	L	1.57" 40mm	R	1.85" 47mm	29.25" 743mm	37	26.77" 680mm	22.32" 567mm	3.15" 80mm
												
SY73556	C/B	V	R2	L	1.57" 40mm	R	1.57" 40mm	30.71" 780mm		28.35" 720mm	24.21" 615mm	3.78" 96mm
												
SY44838	C/B	V	R2	L	1.57" 40mm	R	1.57" 40mm	24.09" 612mm	37	22.44" 570mm	17.24" 438mm	2.76" 70mm
												
SY1221339	C/B	V	R2	L	1.57" 40mm	R	1.57" 40mm	25.78" 655mm	40	24.40" 620mm	17.51" 445mm	3.14" 80mm
												
SY1248659	C/B	V	R2	L	1.57" 40mm	R	1.57" 40mm	25.78" 655mm	N/A	24.80" 630mm	16.29" 414mm	3.42" 87mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1248697	C/B	V	R2	L	1.57" 40mm	R	1.57" 40mm	26.37" 670mm	40	24.40" 620mm	19.88" 505mm	3.34" 85mm
												
SY1248661	C/B	V	R2	L	1.61" 41mm	R	1.77" 45mm	26.96" 685mm	40	25.43" 646mm	18.89" 480mm	4.92" 125mm
												
SY1221197	C/B	V	R2	L	1.65" 47mm	R	1.65" 42mm	22.20" 564mm	37	19.09" 485mm	16.42" 417mm	4.53" 115mm
												
SY1221180	C/B	V	R2	L	1.65" 48mm	R	1.65" 42mm	22.04" 560mm	40	20.67" 525mm	16.26" 413mm	5.12" 130mm
												
SY73523	C/B	V	R2	L	1.66" 42mm	R	1.88" 48mm	29.88" 759mm	35	26.77" 680mm	22.05" 560mm	2.68" 68mm
												
SY1221178	C/B	V	R2	L	1.79" 46mm	R	1.79" 46mm	29.53" 750mm	40	26.77" 680mm	24.80" 630mm	3.15" 80mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73573	C/B	V	R2	L	1.79" 46mm	R	1.85" 47mm	25.04" 636mm		23.82" 605mm	18.11" 460mm	3.15" 80mm
												
SY1221189	C/B	V	R2	L	1.79" 46mm	R	1.79" 46mm	29.53" 750mm	40	26.77" 680mm	22.24" 565mm	2.95" 75mm
												
SY1221205	C/B	V	R2	L	1.79" 46mm	R	1.79" 46mm	29.53" 750mm	40	26.77" 680mm	22.44" 570mm	3.15" 80mm
												
SY1221190	C/B	V	R2	L	1.83" 47mm	R	1.83" 47mm	25.39" 645mm	38	24.02" 610mm	18.31" 465mm	3.54" 90mm
												
SY1221159	C/B	V	R2	L	1.85" 47mm	R	1.85" 47mm	10.00" 254mm		23.62" 600mm	18.11" 460mm	3.31" 84mm
												
SY1221172	C/B	V	R2	L	1.87" 48mm	R	1.87" 48mm	25.19" 640mm	37	23.62" 600mm	19.29" 490mm	3.15" 80mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY73574 	C/B	V	R2	L	1.87" 48mm	R	1.65" 42mm	21.85" 555mm	38	33.46" 850mm	16.14" 410mm	4.92" 125mm
SY1221213 	C/B	V	R2	R	1.42" 37mm	L	1.42" 36mm	26.57" 675mm	20	25.20" 640mm	17.52" 445mm	3.35" 85mm
SY73978 	C/B	V	R2	R	1.57" 40mm	L	1.57" 40mm	24.80" 630mm		25.20" 640mm	16.14" 410mm	3.46" 88mm
SY1221503 	C/B	V	R3	L	1.48" 38mm	L	1.48" 38mm	27.87" 708mm	37	23.82" 605mm	24.41" 620mm	3.74" 95mm
SY1221167 	C/B	V	R3	L	1.57" 40mm	R	1.57" 40mm	27.95" 710mm	37	23.82" 605mm	24.21" 615mm	4.13" 105mm
SY1221531 	C/B	V	R5	L	1.57" 40mm	R	1.57" 40mm	29.33" 745mm	40	26.18" 665mm	19.88" 505mm	3.94" 100mm


⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221643	Plastic	V	L2	L	1.57" 40mm	L	1.57" 40mm	23.50" 597mm	40	24.01" 610mm	12.40" 315mm	4.68" 119mm
												
SY1248694	Plastic	V	L2	L	1.57" 40mm	R	1.57" 40mm	26.57" 675mm	40	24.40" 620mm	19.21" 488mm	4.64" 118mm
												
SY84297	Plastic	V	L2	L	1.57" 40mm	R	1.57" 40mm	26.41" 671mm	40	24.01" 610mm	19.29" 490mm	4.21" 107mm
												
SY1221426	Plastic	V	L2	L	1.81" 46mm	R	1.81" 46mm	26.18" 665mm	37	25.47" 647mm	16.14" 410mm	5.66" 144mm
												
SY1221410	Plastic	V	L2	R	1.41" 36mm	L	1.41" 36mm	26.37" 670mm	22	24.01" 610mm	19.29" 490mm	4.92" 125mm
												
SY1248985	Plastic	V	L2	R	1.85" 47mm	L	1.85" 47mm	28.54" 725mm	23	24.01" 610mm	21.65" 550mm	3.07" 78mm
												


⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1221084	Plastic	V	L5	R	1.41" 36mm	L	1.41" 36mm	24.80" 630mm	21	22.04" 560mm	18.70" 475mm	2.87" 73mm
												
SY1248701	Plastic	V	M2	R	1.41" 36mm	R	1.41" 36mm	19.48" 495mm	30	16.92" 430mm	20.86" 530mm	2.71" 69mm
												
SY1221616	Plastic	V		L	1.81" 46mm	R	1.81" 46mm	30.31" 770mm	38	25.59" 650mm	23.81" 605mm	4.17" 106mm
												
SY123508	Plastic	V	R2	L	1.41" 36mm	R	1.41" 36mm	25.78" 655mm	37	24.80" 630mm	17.42" 450mm	3.54" 90mm
												
SY1248660	Plastic	V	R2	L	1.41" 36mm	R	1.41" 36mm	23.11" 587mm	40	22.04" 560mm	17.91" 455mm	3.58" 91mm
												
SY940645	Plastic	V	R2	L	1.85" 47mm	R	1.85" 47mm	24.80" 630mm	37	21.85" 555mm	20.08" 510mm	3.15" 80mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiators Radiadores Radiateurs

	Material ▼	Type	Radiator Cap Position	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width
SY1248663	Plastic	V	R5	L	1.85" 47mm	R	1.85" 47mm	28.54" 725mm	40	22.95" 583mm	21.85" 555mm	3.11" 79mm
												
SY1221692	Plastic	V	R6	L	1.37" 35mm	R	1.37" 35mm	24.80" 630mm	38	21.85" 555mm	18.50" 470mm	2.83" 72mm
												

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Radiator Kits Kits de Radiador Kits de Radiateurs


	Radiator Cap Position ▼	Input Position	Inlet Diameter	Output Position	Output Diameter	Center Distance	Draincock Position	Length	Height	Width	Type
SY97546 Aluminum Mounting kit Shroud fan Long upper hose Short upper hose	L2	R	1.42" 36mm	L	1.42" 36mm	24.80" 630mm	20	23.62" 600mm	18.11" 460mm	3.54" 90mm	V




SY97547 Aluminum Mounting kit Long upper hose Short upper hose	L2	R	1.42" 36mm	L	1.42" 36mm	24.80" 630mm	20	23.62" 600mm	18.11" 460mm	3.54" 90mm	V
--	----	---	---------------	---	---------------	-----------------	----	-----------------	-----------------	---------------	---




Type A: Straight Hose




Type C: Reinforced



Type B: 2-Dimensional Preformed




Type D: 3-Dimensional Preformed



	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221026	A	2.76"	70mm	0.47"	12mm	0.47"	12mm	No
								
SY1221002	A	3.35"	85mm	1.61"	41mm	1.85"	47mm	No
								
SY1221722	A	3.82"	97mm	0.59"	15mm	0.79"	20mm	No
								
SY1221019	A	12.76"	324mm	0.63"	16mm	0.63"	16mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221727	B	1.61"	41mm	0.49"	12mm	0.75"	19mm	No
								
SY39020	B	2.44"	62mm	1.26"	32mm	1.26"	32mm	Yes
								
SY37401	B	2.52"	64mm	0.39"	10mm	0.39"	10mm	No
								
SY1248689	B	2.75"	70mm	0.62"	16mm	0.70"	18mm	No
								
SY36236	B	3.07"	78mm	0.91"	23mm	0.91"	23mm	No
								
SY1221747	B	3.15"	80mm	0.87"	22mm	0.87"	22mm	No
								
SY53190	B	3.23"	82mm	0.63"	16mm	0.63"	16mm	No
								
SY40022	B	3.58"	91mm	0.51"	13mm	0.51"	13mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1248669	B	3.62"	92mm	1.25"	32mm	1.34"	34mm	No
								
SY37440	B	3.70"	94mm	1.34"	34mm	1.34"	34mm	No
								
SY83341	B	3.82"	97mm	0.59"	15mm	0.59"	15mm	No
								
SY800398	B	3.82"	97mm	0.59"	15mm	0.83"	21mm	No
								
SY72705	B	3.94"	100mm	1.46"	37mm	1.46"	37mm	No
								
SY93811	B	4.02"	102mm	1.26"	32mm	1.34"	34mm	No
								
SY73612	B	4.33"	110mm	0.75"	19mm	0.75"	19mm	No
								
SY800115	B	4.33"	110mm	1.50"	38mm	1.50"	38mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY26317	B	4.61"	117mm	1.02"	26mm	1.02"	26mm	No
								
SY1221105	B	4.84"	123mm	1.93"	49mm	1.93"	49mm	No
								
SY32671	B	5.59"	142mm	1.73"	44mm	1.73"	44mm	No
								
SY37436	B	5.91"	150mm	1.34"	34mm	1.34"	34mm	Yes
								
SY1221763	B	5.91"	150mm	1.34"	34mm	1.34"	34mm	No
								
SY1221500	B	6.10"	155mm	1.23"	33mm	1.73"	44mm	No
								
SY1221039	B	6.57"	167mm	0.39"	10mm	0.39"	10mm	No
								
SY1248688	B	6.59"	168mm	1.49"	38mm	1.49"	38mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221085	B	6.69"	170mm	1.30"	33mm	1.30"	33mm	Yes
								
SY73594	B	7.09"	180mm	1.34"	34mm	1.34"	34mm	No
								
SY1221029	B	7.48"	190mm	1.77"	45mm	2.01"	51mm	No
								
SY1221714	B	7.56"	192mm	1.57"	40mm	1.57"	40mm	No
								
SY1221536	B	7.60"	193mm	1.30"	33mm	1.47"	38mm	Yes
								
SY72707	B	7.68"	195mm	1.38"	35mm	1.38"	35mm	No
								
SY1221590	B	7.87"	200mm	0.63"	16mm	0.63"	16mm	No
								
SY81374	B	8.27"	210mm	0.67"	17mm	0.67"	17mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length	Small Inner Diameter	Large Inner Diameter	Reinforced with Spring
SY36216	B	8.74" 222mm	1.46" 37mm	1.46" 37mm	No
					
SY47490	B	8.86" 225mm	1.54" 39mm	1.54" 39mm	Yes
					
SY1221645	B	8.98" 228mm	1.42" 36mm	1.73" 44mm	No
					
SY1221518	B	9.06" 230mm	1.30" 33mm	1.42" 36mm	No
					
SY1221557	B	9.50" 241mm	1.18" 30mm	1.25" 32mm	No
					
SY1221044	B	9.45" 240mm	0.55" 14mm	0.55" 14mm	No
					
SY1221128	B	9.53" 242mm	1.54" 39mm	1.54" 39mm	No
					
SY56874	B	10.04" 255mm	2.99" 76mm	3.94" 100mm	No
					

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY77094	B	11.02"	280mm	1.30"	33mm	1.81"	46mm	No
								
SY34285	B	12.29"	330mm	1.29"	33mm	1.34"	34mm	No
								
SY1221028	B	12.40"	315mm	1.54"	39mm	1.54"	39mm	No
								
SY1221035	B	12.80"	325mm	0.75"	19mm	0.75"	19mm	No
								
SY37447	B	13.39"	340mm	1.26"	32mm	1.50"	38mm	No
								
SY1221574	B	14.02"	356mm	1.30"	33mm	1.77"	45mm	No
								
SY34300	B	15.04"	382mm	1.34"	34mm	1.34"	34mm	No
								
SY48046	B	15.32"	389mm	2.17"	55mm	2.24"	57mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221027	B	20.67"	525mm	0.55"	14mm	0.75"	19mm	No
								
SY1221021	C	3.15"	80mm	0.55"	14mm	0.55"	14mm	No
								
SY1221644	C	4.72"	120mm	1.97"	50mm	1.97"	50mm	No
								
SY34288	C	13.19"	335mm	1.30"	33mm	1.30"	33mm	No
								
SY34290	C	13.78"	350mm	1.46"	37mm	1.46"	37mm	Yes
								
SY31497	D	2.24"	57mm	0.28"	7mm	0.28"	7mm	No
								
SY1221014	D	2.72"	69mm	0.63"	16mm	0.63"	16mm	No
								
SY1221755	D	3.15"	80mm	0.47"	12mm	0.59"	15mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY800141	D	3.58"	91mm	1.38"	35mm	1.38"	35mm	No
								
SY1221031	D	3.94"	100mm	0.51"	13mm	0.51"	13mm	No
								
SY73640	D	4.37"	111mm	0.87"	22mm	0.98"	25mm	No
								
SY1221528	D	4.61"	117mm	1.06"	27mm	1.06"	27mm	No
								
SY800188	D	4.92"	125mm	1.34"	34mm	1.34"	34mm	No
								
SY1221660	D	4.92"	125mm	1.38"	35mm	1.38"	35mm	No
								
SY1221080	D	5.20"	132mm	0.63"	16mm	0.63"	16mm	No
								
SY1221585	D	5.35"	136mm	1.30"	33mm	1.38"	35mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY72709	D	5.51"	140mm	1.02"	26mm	1.02"	26mm	No
								
SY47558	D	5.51"	140mm	1.38"	35mm	1.38"	35mm	No
								
SY72593	D	5.63"	143mm	0.79"	20mm	0.85"	22mm	No
								
SY1221101	D	5.83"	148mm	1.06"	27mm	1.34"	34mm	No
								
SY38160	D	5.91"	150mm	1.50"	38mm	1.61"	41mm	No
								
SY1221050	D	5.91"	150mm	1.54"	39mm	1.73"	44mm	No
								
SY1221690	D	5.91"	150mm	2.05"	52mm	2.05"	52mm	No
								
SY1221075	D	6.46"	164mm	0.67"	17mm	0.67"	17mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221621	D	6.50"	165mm	0.59"	15mm	0.59"	15mm	No
								
SY1221009	D	6.61"	168mm	0.63"	16mm	0.63"	16mm	No
								
SY1221649	D	6.89"	175mm	0.51"	13mm	0.51"	13mm	No
								
SY71681	D	7.76"	197mm	1.34"	34mm	1.50"	38mm	No
								
SY36007	D	7.80"	198mm	1.30"	33mm	1.30"	33mm	No
								
SY1221618	D	7.87"	200mm	1.25"	32mm	1.33"	34mm	No
								
SY107421	D	7.87"	200mm	1.58"	40mm	1.58"	40mm	Yes
								
SY34286	D	7.87"	200mm	1.77"	45mm	2.09"	53mm	Yes
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length	Small Inner Diameter	Large Inner Diameter	Reinforced with Spring
SY23173	D	7.99" 203mm	1.38" 35mm	1.38" 35mm	No
					
SY77916	D	8.07" 205mm	1.49" 38mm	1.73" 44mm	Yes
					
SY34315	D	8.15" 207mm	1.38" 35mm	1.50" 38mm	No
					
SY44966	D	8.15" 207mm	1.58" 40mm	1.89" 48mm	Yes
					
SY1221024	D	8.46" 215mm	1.38" 35mm	1.38" 35mm	Yes
					
SY1221164	D	8.66" 220mm	0.47" 12mm	0.47" 12mm	No
					
SY48041	D	8.66" 220mm	1.34" 34mm	1.34" 34mm	No
					
SY41435	D	8.66" 220mm	1.77" 45mm	1.77" 45mm	Yes
					

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221721	D	8.66"	220mm	1.83"	47mm	1.83"	47mm	Yes
								
SY1221061	D	8.74"	222mm	1.34"	34mm	1.50"	38mm	No
								
SY1221664	D	8.86"	225mm	0.43"	11mm	0.43"	11mm	No
								
SY34282	D	8.86"	225mm	1.38"	35mm	1.77"	45mm	No
								
SY40961	D	8.86"	225mm	1.50"	38mm	1.50"	38mm	Yes
								
SY1210592	D	9.06"	230mm	1.14"	29mm	1.50"	38mm	No
								
SY34313	D	9.06"	230mm	1.26"	32mm	1.30"	33mm	Yes
								
SY99868	D	9.06"	230mm	1.26"	32mm	1.30"	33mm	Yes
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length	Small Inner Diameter	Large Inner Diameter	Reinforced with Spring
SY77086	D	9.06" 230mm	1.38" 35mm	1.46" 37mm	No
					
SY107424	D	9.06" 230mm	1.65" 42mm	1.65" 42mm	No
					
SY800066	D	9.17" 233mm	1.34" 34mm	1.34" 34mm	No
					
SY1221599	D	9.25" 235mm	1.73" 44mm	1.73" 44mm	No
					
SY51661	D	9.29" 236mm	1.34" 34mm	1.50" 38mm	No
					
SY37457	D	9.29" 236mm	1.58" 40mm	1.81" 46mm	No
					
SY1221013	D	9.29" 236mm	1.69" 43mm	1.69" 43mm	No
					
SY75029	D	9.45" 240mm	1.02" 26mm	1.02" 26mm	No
					

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY51662	D	9.45"	240mm	1.30"	33mm	1.50"	38mm	No
								
SY1221015	D	9.45"	240mm	2.05"	52mm	2.05"	52mm	No
								
SY44100	D	9.57"	243mm	1.50"	38mm	1.81"	46mm	No
								
SY72991	D	9.65"	245mm	1.30"	33mm	1.30"	33mm	No
								
SY39614	D	9.65"	245mm	1.38"	35mm	1.38"	35mm	No
								
SY1221103	D	9.72"	247mm	1.50"	38mm	1.50"	38mm	Yes
								
SY73677	D	9.84"	250mm	1.30"	33mm	1.77"	45mm	No
								
SY77087	D	9.84"	250mm	1.38"	35mm	1.38"	35mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221034	D	9.84"	250mm	1.57"	40mm	1.57"	40mm	Yes
								
SY800162	D	9.92"	252mm	1.38"	35mm	1.42"	36mm	No
								
SY48049	D	9.96"	253mm	1.34"	34mm	1.34"	34mm	No
								
SY34293	D	10.00"	254mm	1.42"	36mm	1.42"	36mm	No
								
SY34299	D	10.04"	255mm	1.30"	33mm	1.46"	37mm	No
								
SY37325	D	10.04"	255mm	1.34"	34mm	1.77"	45mm	No
								
SY34309	D	10.04"	255mm	1.54"	39mm	1.81"	46mm	No
								
SY34301	D	10.12"	257mm	1.38"	35mm	1.38"	35mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221731	D	10.16"	258mm	1.30"	33mm	1.50"	38mm	No
								
SY34314	D	10.20"	259mm	1.42"	36mm	1.42"	36mm	No
								
SY1221699	D	10.24"	260mm	1.26"	32mm	1.46"	37mm	No
								
SY84252	D	10.24"	260mm	1.34"	34mm	1.46"	37mm	No
								
SY1221622	D	10.24"	260mm	1.65"	42mm	1.77"	45mm	No
								
SY1221944	D	10.31"	262mm	1.26"	32mm	1.57"	40mm	No
								
SY52594	D	10.32"	262mm	1.38"	35mm	1.38"	35mm	No
								
SY51679	D	10.35"	263mm	1.34"	34mm	1.54"	39mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY77091	D	10.43"	265mm	1.34"	34mm	1.34"	34mm	No
								
SY23174	D	10.43"	265mm	1.34"	34mm	1.38"	35mm	No
								
SY48048	D	10.43"	265mm	1.38"	35mm	1.38"	35mm	No
								
SY45160	D	10.43"	265mm	1.81"	46mm	1.81"	46mm	Yes
								
SY34305	D	10.51"	267mm	1.58"	40mm	1.58"	40mm	Yes
								
SY73623	D	10.55"	268mm	1.30"	33mm	1.30"	33mm	No
								
SY1221043	D	10.55"	268mm	1.30"	33mm	1.42"	36mm	Yes
								
SY34298	D	10.55"	268mm	1.34"	34mm	1.34"	34mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY37360	D	10.63"	270mm	1.26"	32mm	1.26"	32mm	No
								
SY1221030	D	10.63"	270mm	1.30"	33mm	1.30"	33mm	No
								
SY23070	D	10.63"	270mm	1.38"	35mm	1.38"	35mm	Yes
								
SY23093	D	10.63"	270mm	1.38"	35mm	1.38"	35mm	Yes
								
SY1221513	D	10.63"	270mm	1.38"	35mm	1.38"	35mm	Yes
								
SY1221040	D	10.63"	270mm	1.85"	47mm	1.85"	47mm	No
								
SY23504	D	10.75"	273mm	1.34"	34mm	1.38"	35mm	Yes
								
SY1221099	D	10.83"	275mm	1.26"	32mm	1.30"	33mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221556	D	10.83"	275mm	1.30"	33mm	1.73"	44mm	No
								
SY1221100	D	10.83"	275mm	1.34"	34mm	1.34"	34mm	No
								
SY34311	D	10.83"	275mm	1.34"	34mm	1.38"	35mm	No
								
SY1221121	D	10.83"	275mm	1.34"	34mm	1.73"	44mm	No
								
SY73624	D	10.83"	275mm	1.38"	35mm	1.42"	36mm	No
								
SY1221051	D	10.83"	275mm	1.77"	45mm	1.77"	45mm	Yes
								
SY1221937	D	10.83"	275mm	1.77"	45mm	1.77"	45mm	No
								
SY1221611	D	10.87"	276mm	1.23"	33mm	1.23"	33mm	Yes
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY31837	D	10.98"	279mm	1.58"	40mm	1.77"	45mm	Yes
								
SY48056	D	11.02"	280mm	1.34"	34mm	1.34"	34mm	No
								
SY40914	D	11.02"	280mm	1.50"	38mm	1.50"	38mm	Yes
								
SY46954	D	11.02"	280mm	1.50"	38mm	1.97"	50mm	No
								
SY1221715	D	11.02"	280mm	1.54"	39mm	1.69"	43mm	No
								
SY37113	D	11.02"	280mm	1.81"	46mm	1.81"	46mm	Yes
								
SY1221609	D	11.22"	285mm	1.23"	33mm	1.23"	33mm	No
								
SY1221572	D	11.22"	285mm	1.34"	34mm	1.34"	34mm	Yes
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY34308	D	11.22"	285mm	1.34"	34mm	1.34"	34mm	No
								
SY48037	D	11.22"	285mm	1.34"	34mm	1.34"	34mm	No
								
SY1221001	D	11.22"	285mm	1.34"	34mm	1.34"	34mm	Yes
								
SY800078	D	11.22"	285mm	1.38"	35mm	1.38"	35mm	No
								
SY46898	D	11.22"	285mm	1.77"	45mm	1.77"	45mm	Yes
								
SY32687	D	11.22"	285mm	1.81"	46mm	1.81"	46mm	Yes
								
SY51663	D	11.34"	288mm	1.26"	32mm	1.38"	35mm	No
								
SY34287	D	11.34"	288mm	1.30"	33mm	1.58"	40mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221010	D	11.42"	290mm	0.31"	8mm	0.31"	8mm	No
								
SY106799	D	11.42"	290mm	1.34"	34mm	1.34"	34mm	No
								
SY37381	D	11.42"	290mm	1.38"	35mm	1.58"	40mm	No
								
SY1221059	D	11.42"	290mm	2.36"	60mm	2.56"	65mm	No
								
SY1221109	D	11.61"	295mm	1.34"	34mm	1.38"	35mm	No
								
SY37364	D	11.61"	295mm	1.38"	35mm	1.77"	45mm	No
								
SY1221737	D	11.73"	298mm	0.63"	16mm	0.87"	22mm	No
								
SY72151	D	11.81"	300mm	0.31"	8mm	0.31"	8mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221949	D	11.81"	300mm	0.98"	25mm	0.98"	25mm	No
								
SY52601	D	11.81"	300mm	1.30"	33mm	1.38"	35mm	No
								
SY1221716	D	11.81"	300mm	1.30"	33mm	1.46"	37mm	No
								
SY1221016	D	11.81"	300mm	1.38"	35mm	1.38"	35mm	No
								
SY23088	D	11.81"	300mm	1.42"	36mm	1.42"	36mm	No
								
SY1248670	D	11.81"	300mm	2.20"	56mm	2.20"	56mm	No
								
SY73668	D	11.89"	302mm	1.34"	34mm	1.34"	34mm	No
								
SY34289	D	12.01"	305mm	1.38"	35mm	1.38"	35mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221048	D	12.20"	310mm	1.26"	32mm	1.26"	32mm	No
								
SY1221522	D	12.20"	310mm	1.26"	32mm	1.34"	34mm	No
								
SY48051	D	12.21"	310mm	1.34"	34mm	1.34"	34mm	No
								
SY800067	D	12.21"	310mm	1.38"	35mm	1.38"	35mm	No
								
SY1221005	D	12.40"	315mm	1.26"	32mm	1.57"	40mm	No
								
SY1221000	D	12.40"	315mm	1.30"	33mm	1.30"	33mm	No
								
SY1221060	D	12.40"	315mm	1.30"	33mm	1.38"	35mm	No
								
SY37365	D	12.40"	315mm	1.61"	41mm	1.61"	41mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221974	D	12.59"	320mm	1.49"	38mm	1.49"	38mm	No
								
SY34304	D	12.60"	320mm	1.30"	33mm	1.30"	33mm	No
								
SY34292	D	12.60"	320mm	1.38"	35mm	1.38"	35mm	No
								
SY34310	D	12.60"	320mm	1.77"	45mm	2.21"	56mm	No
								
SY34284	D	12.68"	322mm	1.38"	35mm	1.77"	45mm	No
								
SY40959	D	12.68"	322mm	1.50"	38mm	1.50"	38mm	No
								
SY31841	D	12.80"	325mm	1.30"	33mm	1.30"	33mm	Yes
								
SY72706	D	12.80"	325mm	1.30"	33mm	1.30"	33mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY77085	D	12.84"	326mm	1.38"	35mm	1.54"	39mm	No
								
SY1221568	D	12.99"	330mm	0.98"	25mm	1.38"	35mm	No
								
SY1221055	D	12.99"	330mm	1.34"	30mm	1.34"	34mm	No
								
SY800072	D	12.99"	330mm	1.38"	35mm	1.38"	35mm	No
								
SY1221720	D	12.99"	330mm	1.69"	43mm	2.09"	53mm	No
								
SY1221088	D	13.11"	333mm	1.77"	45mm	2.24"	57mm	No
								
SY82428	D	13.19"	335mm	0.32"	8mm	0.32"	8mm	No
								
SY1221082	D	13.19"	335mm	1.26"	32mm	1.30"	33mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY34317	D	13.19"	335mm	1.34"	34mm	1.34"	34mm	No
								
SY37522	D	13.19"	335mm	1.42"	36mm	1.42"	36mm	Yes
								
SY1221071	D	13.31"	338mm	1.61"	41mm	1.61"	41mm	No
								
SY1221114	D	13.39"	340mm	1.30"	33mm	1.30"	33mm	No
								
SY34296	D	13.39"	340mm	1.34"	34mm	1.42"	36mm	No
								
SY34316	D	13.39"	340mm	1.38"	35mm	1.38"	35mm	Yes
								
SY106848	D	13.39"	340mm	2.44"	62mm	2.68"	68mm	No
								
SY37358	D	13.47"	342mm	1.38"	35mm	1.42"	36mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY34306	D	13.54"	344mm	1.38"	35mm	1.54"	39mm	No
								
SY1221057	D	13.58"	345mm	1.57"	40mm	1.97"	50mm	No
								
SY1221580	D	13.66"	347mm	0.51"	13mm	0.67"	17mm	No
								
SY1221008	D	13.78"	350mm	1.22"	31mm	1.26"	32mm	No
								
SY1221537	D	13.78"	350mm	1.34"	34mm	1.34"	34mm	No
								
SY1221634	D	13.78"	350mm	1.38"	35mm	1.57"	40mm	No
								
SY40989	D	13.78"	350mm	1.42"	36mm	1.42"	36mm	Yes
								
SY35423	D	13.78"	350mm	1.81"	46mm	1.81"	46mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY800397	D	13.98"	355mm	1.38"	35mm	1.38"	35mm	No
								
SY1221041	D	13.98"	355mm	1.42"	36mm	1.42"	36mm	No
								
SY1210625	D	14.17"	360mm	1.26"	32mm	1.26"	32mm	No
								
SY1221072	D	14.17"	360mm	2.24"	57mm	2.24"	57mm	No
								
SY34294	D	14.37"	365mm	1.34"	34mm	1.34"	34mm	No
								
SY34295	D	14.37"	365mm	1.38"	35mm	1.42"	36mm	No
								
SY1221555	D	14.37"	365mm	1.73"	44mm	2.01"	51mm	Yes
								
SY1221603	D	14.37"	365mm	1.73"	44mm	2.05"	52mm	Yes
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY107429	D	14.57"	370mm	1.26"	32mm	1.26"	32mm	No
								
SY37266	D	14.57"	370mm	1.42"	36mm	1.42"	36mm	No
								
SY73588	D	14.57"	370mm	1.38"	35mm	1.50"	38mm	No
								
SY34543	D	14.57"	370mm	1.50"	38mm	1.50"	38mm	Yes
								
SY46820	D	14.57"	370mm	1.85"	47mm	1.85"	47mm	Yes
								
SY45844	D	14.65"	372mm	1.54"	39mm	1.54"	39mm	No
								
SY77106	D	14.76"	375mm	1.34"	34mm	1.34"	34mm	No
								
SY1248842	D	14.76"	375mm	1.34"	34mm	2.20"	56mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY38849	D	14.76"	375mm	1.54"	39mm	1.54"	39mm	No
								
SY73595	D	14.96"	380mm	1.38"	35mm	1.38"	35mm	No
								
SY1221734	D	14.96"	380mm	1.73"	44mm	1.73"	44mm	No
								
SY1221943	D	15.16"	385mm	1.06"	27mm	1.06"	27mm	No
								
SY1221067	D	15.35"	390mm	0.63"	16mm	0.63"	16mm	No
								
SY1221501	D	15.35"	390mm	1.28"	32mm	1.50"	38mm	No
								
SY1221623	D	15.35"	390mm	1.30"	33mm	1.69"	43mm	No
								
SY800122	D	15.55"	395mm	1.38"	35mm	1.93"	49mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221956	D	15.59"	396mm	1.02"	26mm	1.02"	26mm	No
								
SY1221586	D	15.75"	400mm	1.38"	35mm	1.81"	46mm	No
								
SY1221524	D	15.75"	400mm	1.57"	40mm	1.77"	45mm	No
								
SY1221663	D	15.94"	405mm	1.73"	44mm	1.73"	44mm	Yes
								
SY1221718	D	15.94"	405mm	1.97"	50mm	2.28"	58mm	No
								
SY1221940	D	15.94"	405mm	2.01"	51mm	2.60"	66mm	No
								
SY34318	D	15.95"	405mm	1.38"	35mm	1.50"	38mm	No
								
SY41664	D	16.14"	410mm	1.58"	40mm	1.58"	40mm	Yes
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221619	D	16.14"	410mm	1.73"	44mm	1.97"	50mm	Yes
								
SY1221694	D	16.33"	410mm	1.77"	45mm	1.77"	45mm	Yes
								
SY1221563	D	16.34"	415mm	1.77"	45mm	1.77"	45mm	Yes
								
SY1221717	D	16.54"	420mm	0.98"	25mm	1.06"	27mm	No
								
SY87540	D	16.73"	425mm	1.06"	27mm	1.06"	27mm	No
								
SY1221958	D	16.93"	430mm	1.06"	27mm	1.06"	27mm	No
								
SY34291	D	16.93"	430mm	1.34"	34mm	1.42"	36mm	No
								
SY77097	D	17.13"	435mm	1.30"	33mm	1.34"	34mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221594	D	17.13"	435mm	1.34"	34mm	1.34"	34mm	No
								
SY1221702	D	17.32"	440mm	1.38"	35mm	1.57"	40mm	No
								
SY1221960	D	17.52"	445mm	1.57"	40mm	1.73"	44mm	No
								
SY1221113	D	17.52"	445mm	1.77"	45mm	2.01"	51mm	Yes
								
SY34283	D	17.72"	450mm	1.30"	33mm	1.46"	37mm	No
								
SY1221521	D	17.72"	450mm	1.77"	45mm	2.05"	52mm	No
								
SY46897	D	18.11"	460mm	1.54"	39mm	1.54"	39mm	No
								
SY1221597	D	18.31"	465mm	1.73"	44mm	1.77"	45mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221006	D	18.50"	470mm	1.30"	33mm	1.77"	45mm	No
								
SY1221569	D	18.50"	470mm	1.50"	38mm	1.50"	38mm	No
								
SY37397	D	19.09"	485mm	1.81"	46mm	1.81"	46mm	Yes
								
SY1221596	D	19.29"	490mm	0.59"	15mm	0.59"	15mm	No
								
SY1221097	D	19.29"	490mm	0.63"	16mm	0.63"	16mm	No
								
SY93314	D	19.49"	495mm	0.55"	14mm	0.55"	14mm	No
								
SY107430	D	19.49"	495mm	1.34"	34mm	1.34"	34mm	No
								
SY37359	D	19.84"	504mm	1.42"	36mm	1.42"	36mm	No
								

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221911	D	20.07"	510mm	1.25"	32mm	1.25"	32mm	Yes
								
SY32046	D	20.47"	520mm	1.54"	39mm	1.54"	39mm	No
								
SY1221723	D	20.47"	520mm	2.05"	52mm	1.85"	47mm	No
								
SY1221092	D	20.87"	530mm	0.98"	25mm	0.98"	25mm	No
								
SY107423	D	21.26"	540mm	1.26"	32mm	1.26"	32mm	No
								
SY1221095	D	21.26"	540mm	1.34"	34mm	1.46"	37mm	Yes
								
SY1221587	D	21.26"	540mm	1.65"	42mm	1.73"	44mm	No
								
SY1221624	D	21.26"	540mm	1.97"	50mm	1.97"	50mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221719	D	21.26"	540mm	0.98"	25mm	1.26"	32mm	No
								
SY1221089	D	21.65"	550mm	1.50"	38mm	1.54"	39mm	No
								
SY1221083	D	21.65"	550mm	1.73"	44mm	1.73"	44mm	No
								
SY1221941	D	21.85"	555mm	1.73"	44mm	1.73"	44mm	No
								
SY1221530	D	22.24"	565mm	1.06"	27mm	1.30"	33mm	No
								
SY37361	D	22.44"	570mm	1.38"	35mm	1.58"	40mm	No
								
SY1221769	D	22.64"	575mm	2.05"	52mm	2.05"	52mm	Yes
								
SY1221542	D	23.62"	600mm	1.30"	33mm	1.30"	33mm	No
								


⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Hoses Mangueras Tuyaux

	Type ▼	Minimum Length		Small Inner Diameter		Large Inner Diameter		Reinforced with Spring
SY1221578	D	23.82"	605mm	1.18"	30mm	1.26"	32mm	No
								
SY1221081	D	25.59"	650mm	1.26"	32mm	1.26"	32mm	No
								
SY1221575	D	26.77"	680mm	1.77"	45mm	1.77"	45mm	Yes
								
SY1221725	D	30.71"	780mm	1.06"	27mm	1.06"	27mm	No
								
SY1221950	D	39.37"	1000mm	1.34"	34mm	1.34"	34mm	No
								

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau



	Height ▼	Length	Repair Kit
SY52491	2.97" 76mm	9.29" 236mm	



SY34952	3.15" 80mm	9.96" 253mm	
---------	---------------	----------------	--




SY52481	3.18" 81mm	6.10" 155mm	SY52485
---------	---------------	----------------	---------



SY1221708	3.62" 92mm	5.24" 133mm	
-----------	---------------	----------------	--



SY99503	3.66" 93mm	4.21" 107mm	
---------	---------------	----------------	--



	Height ▼	Length	Repair Kit
SY34941	3.66" 93mm	5.59" 142mm	



SY1210241	3.70" 94mm	4.25" 108mm	
-----------	---------------	----------------	--



SY34943	3.70" 94mm	5.57" 142mm	
---------	---------------	----------------	--



SY72643	3.74" 95mm	4.45" 113mm	
---------	---------------	----------------	--



SY105727	3.78" 96mm	11.30" 287mm	
----------	---------------	-----------------	--



Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY31867	3.90" 99mm	5.20" 132mm	
			
SY51632	4.07" 104mm	3.29" 84mm	
			
SY31864	4.07" 103mm	3.74" 95mm	
			
SY51634	4.09" 104mm	4.35" 111mm	
			
SY34935	4.15" 106mm	6.69" 170mm	
			
SY34936	4.15" 106mm	7.40" 188mm	
			
SY73947	4.17" 106mm	5.94" 151mm	
			

	Height ▼	Length	Repair Kit
SY48025	4.17" 106mm	7.40" 188mm	SY800195
			
SY34937	4.19" 107mm	7.40" 188mm	
			
SY73939	4.21" 107mm	6.57" 167mm	
			
SY1221420	4.21" 107mm	6.65" 169mm	
			
SY31492	4.21" 107mm	7.09" 180mm	
			
SY53084	4.21" 107mm	7.13" 181mm	
			
SY1211007	4.29" 109mm	7.20" 183mm	
			

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY48026	4.29" 109mm	7.87" 200mm	
			
SY34944	4.29" 109mm	9.53" 242mm	
			
SY1221709	4.33" 110mm	7.24" 184mm	
			
SY51636	4.39" 112mm	3.30" 84mm	
			
SY51631	4.39" 112mm	4.37" 111mm	
			
SY51637	4.41" 112mm	3.76" 96mm	
			
SY51638	4.41" 112mm	3.76" 96mm	
			

	Height ▼	Length	Repair Kit
SY1221449	4.41" 112mm	5.91" 150mm	
			
SY54094	4.41" 112mm	6.04" 154mm	
			
SY1221447	4.41" 112mm	6.65" 169mm	
			
SY45171	4.41" 112mm	8.43" 214mm	
			
SY34946	4.45" 113mm	6.22" 158mm	
			
SY1221460	4.45" 113mm	6.85" 174mm	
			
SY34907	4.45" 113mm	7.28" 185mm	
			

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY107407	4.46" 113mm	8.66" 220mm	
			
SY41968	4.46" 113mm	11.85" 301mm	
			
SY51154	4.49" 114mm	7.32" 186mm	
			
SY34908	4.49" 114mm	8.43" 214mm	
			
SY34951	4.51" 115mm	3.76" 96mm	
			
SY51633	4.51" 115mm	4.61" 117mm	
			
SY42825	4.53" 115mm	8.39" 213mm	SY42598
			

	Height ▼	Length	Repair Kit
SY58634	4.53" 115mm	8.46" 215mm	
			
SY31866	4.55" 116mm	11.61" 295mm	SY54098
			
SY31720	4.55" 116mm	17.32" 440mm	SY45118
			
SY34914	4.61" 117mm	3.76" 96mm	
			
SY45698	4.63" 118mm	9.34" 237mm	
			
SY51629	4.63" 118mm	11.30" 287mm	
			
SY73966	4.63" 118mm	11.30" 287mm	
			

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY1221454	4.65" 118mm	7.56" 192mm	
			
SY42559	4.69" 119mm	8.72" 222mm	
			
SY1221498	4.72" 120mm	6.69" 170mm	
			
SY51635	4.76" 121mm	3.31" 84mm	
			
SY51639	4.76" 121mm	4.49" 114mm	
			
SY51158	4.76" 121mm	10.75" 273mm	
			
SY44253	4.80" 122mm	6.69" 170mm	SY43637
			

	Height ▼	Length	Repair Kit
SY45731	4.81" 122mm	8.43" 214mm	
			
SY45043	4.82" 123mm	5.45" 139mm	
			
SY44243	4.84" 123mm	6.28" 160mm	
			
SY40144	4.83" 123mm	9.49" 241mm	
			
SY80316	4.87" 124mm	5.05" 128mm	
			
SY73957	4.88" 124mm	6.50" 165mm	
			
SY43614	4.92" 125mm	10.08" 256mm	
			

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY73960	4.92" 130mm	10.47" 266mm	
			
SY51160	4.92" 125mm	10.89" 277mm	
			
SY1221946	4.94" 125.5mm	7.97" 202.5mm	
			
SY73948	4.94" 126mm	9.96" 253mm	
			
SY44924	4.94" 125mm	10.04" 255mm	
			
SY34921	4.94" 126mm	11.97" 304mm	
			
SY34922	4.95" 126mm	11.93" 303mm	
			

	Height ▼	Length	Repair Kit
SY41967	4.96" 126mm	7.36" 187mm	
			
SY73964	4.97" 126mm	10.31" 262mm	
			
SY73953	4.98" 127mm	10.91" 277mm	
			
SY46989	5.00" 127mm	8.58" 218mm	
			
SY43024	5.00" 127mm	9.92" 252mm	SY800192
			
SY73975	5.02" 128mm	7.83" 199mm	
			
SY34940	5.04" 128mm	7.32" 186mm	
			

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY34942 	5.04" 128mm	7.91" 201mm	
SY73958 	5.04" 128mm	8.66" 220mm	
SY43833 	5.04" 128mm	10.63" 270mm	
SY101312 	5.04" 128mm	11.38" 289mm	
SY51150 	5.05" 128mm	7.60" 193mm	SY42510
SY1221446 	5.08" 129mm	10.63" 270mm	
SY1221424 	5.08" 129mm	11.30" 287mm	

	Height ▼	Length	Repair Kit
SY1221350 	5.12" 130mm	7.01" 178mm	
SY73965 	5.12" 130mm	7.74" 197mm	
SY51159 	5.12" 130mm	8.19" 208mm	
SY38956 	4.90" 125mm	8.50" 216mm	
SY34909 	5.12" 130mm	9.65" 245mm	SY73940
SY34955 	5.12" 130mm	10.39" 264mm	
SY73928 	5.14" 131mm	6.32" 161mm	

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY73949 	5.16" 131mm	9.76" 248mm	
SY105731 	5.20" 132mm	9.76" 248mm	
SY52281 	5.20" 132mm	10.08" 256mm	
SY34916 	5.22" 133mm	10.04" 255mm	
SY34917 	5.24" 133mm	9.13" 232mm	
SY34918 	5.24" 133mm	9.57" 243mm	
SY34915 	5.24" 133mm	10.00" 254mm	

	Height ▼	Length	Repair Kit
SY42385 	5.24" 133mm	10.83" 275mm	
SY42967 	5.24" 133mm	11.22" 285mm	SY47384
SY23530 	5.24" 133mm	15.35" 390mm	
SY34938 	5.26" 134mm	7.87" 200mm	SY800195
SY42910 	5.26" 134mm	8.94" 227mm	
SY73968 	5.28" 134mm	9.02" 229mm	
SY34912 	5.28" 134mm	9.96" 253mm	

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit		Height ▼	Length	Repair Kit
SY54096 	5.28" 134mm	11.18" 284mm		SY48028 	5.31" 135mm	9.45" 240mm	SY800197
SY42774 	5.28" 134mm	11.34" 288mm		SY34903 	5.31" 135mm	9.88" 251mm	SY73940
SY31223 	5.28" 134mm	11.54" 293mm		SY34913 	5.31" 135mm	10.71" 272mm	SY47384
SY52769 	5.28" 134mm	13.46" 342mm	SY42598 Diesel / SY47384 Gas	SY73943 	5.31" 135mm	11.26" 286mm	
SY73952 	5.30" 135mm	11.40" 290mm		SY1221456 	5.31" 135mm	13.94" 354mm	
SY34954 	5.30" 135mm	11.61" 295mm		SY34902 	5.35" 136mm	11.26" 286mm	SY47384
SY42424 	5.31" 135mm	8.82" 224mm		SY73971 	4.43" 138mm	9.76" 248mm	

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY43001	5.43" 138mm	10.51" 267mm	
			
SY45131	5.45" 139mm	10.71" 272mm	
			
SY34924	5.47" 139mm	6.52" 166mm	
			
SY42966	5.48" 139mm	10.75" 273mm	
			
SY43650	5.49" 139mm	8.07" 205mm	
			
SY73954	5.51" 140mm	8.78" 223mm	
			
SY34923	5.51" 140mm	12.83" 326mm	
			

	Height ▼	Length	Repair Kit
SY34928	5.53" 141mm	8.37" 213mm	
			
SY48029	5.63" 143mm	7.36" 187mm	
			
SY42798	5.63" 143mm	8.27" 210mm	SY42598
			
SY34901	5.66" 144mm	8.54" 217mm	SY42598
			
SY34947	5.67" 144mm	8.35" 212mm	
			
SY42448	5.68" 144mm	13.54" 344mm	SY47384
			
SY34905	5.71" 145mm	13.78" 350mm	SY47384
			

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY42514	5.73" 146mm	10.39" 264mm	SY42510
			
SY34957	5.75" 146mm	11.14" 283mm	
			
SY43726	5.76" 146mm	11.30" 287mm	
			
SY73951	5.77" 147mm	10.31" 262mm	
			
SY34949	5.83" 148mm	11.22" 285mm	
			
SY92076	5.83" 148mm	11.42" 290mm	
			
SY1248496	5.86" 149mm	11.10" 282mm	
			

	Height ▼	Length	Repair Kit
SY23096	5.87" 149mm	11.42" 290mm	
			
SY48027	5.89" 150mm	7.80" 198mm	
			
SY1221712	5.91" 150mm	11.54" 293mm	
			
SY73941	5.91" 150mm	14.06" 357mm	
			
SY1221442	5.94" 151mm	9.13" 232mm	
			
SY107595	5.98" 152mm	11.38" 289mm	
			
SY1221428	6.02" 153mm	16.34" 415mm	
			

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Water Pumps Bombas de Agua Pompes à Eau

	Height ▼	Length	Repair Kit
SY31221	6.06" 154mm	12.20" 310mm	



SY73959	6.26" 159mm	9.09" 231mm	
---------	----------------	----------------	--



SY1221441	6.30" 160mm	6.18" 157mm	
-----------	----------------	----------------	--



SY34948	6.30" 160mm	8.27" 210mm	
---------	----------------	----------------	--



SY42968	6.36" 162mm	10.59" 269mm	SY47384
---------	----------------	-----------------	---------



SY73946	6.50" 165mm	9.45" 240mm	
---------	----------------	----------------	--



	Height ▼	Length	Repair Kit
SY43023	6.57" 167mm	13.39" 340mm	



SY73961	6.61" 168mm	11.57" 294mm	
---------	----------------	-----------------	--



SY73962	6.65" 169mm	10.39" 264mm	
---------	----------------	-----------------	--



SY51155	6.81" 173mm	10.55" 268mm	
---------	----------------	-----------------	--



SY51156	7.95" 202mm	16.30" 414mm	
---------	----------------	-----------------	--



Pulleys Poleas Poulies

	O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes		O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes		
SY1221451	2.40" 61mm	1.46" 37mm	1	0.67" 17mm	0.91" 23mm	0		SY43859	2.99" 76mm	0.87" 22mm	1	0.67" 17mm	0.47" 12mm	0	
SY1221453	2.56" 65mm	0.75" 19mm	1	0.67" 17mm	0.35" 9mm	0		SY1221484	3.03" 77mm	0.75" 19mm	1	0.67" 17mm	0.43" 11mm	0	
SY35026	2.60" 66mm	1.18" 33mm	1	0.67" 17mm	0.91" 23mm	0		SY81121	3.03" 77mm	0.83" 21mm	1	0.67" 17mm	0.47" 12mm	0	
SY73761	2.76" 70mm	0.63" 16mm	1	0.40" 10mm	0.39" 10mm	0		SY107458	3.23" 82mm	1.26" 32mm	1	0.91" 23mm	0.47" 12mm	0	
SY107456	2.76" 70mm	0.75" 19mm	1	1.14" 29mm	0.43" 11mm	0		SY73766	3.27" 83mm	1.38" 35mm	1	0.67" 17mm	0.47" 12mm	4	
SY73781	2.83" 72mm	0.87" 22mm	1	1.22" 31mm	0.35" 9mm	0		SY107457	3.27" 83mm	1.38" 35mm	1	1.85" 42mm	0.47" 12mm	4	
SY73760	2.91" 74mm	0.87" 22mm	1	0.59" 15mm	0.51" 13mm	0		SY106005	3.46" 88mm	0.87" 22mm	1	0.35" 9mm	0.47" 12mm	0	

⚠ CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Pulleys Poleas Poulies

	O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes		O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes		
SY83101	3.46" 88mm	1.73" 44mm	1	0.75" 19mm	1.65" 42mm	4		SY1221475	3.90" 99mm	2.72" 69mm	1	1.73" 44mm	0.55" 14mm	4	
SY73768	3.54" 90mm	1.26" 32mm	1	1.14" 29mm	0.43" 11mm	0		SY1221478	3.90" 99mm	1.93" 49mm	1	0.94" 24mm	0.59" 15mm	4	
SY73767	3.54" 102mm	1.34" 34mm	1	0.67" 17mm	0.47" 12mm	4		SY73779	3.94" 100mm	0.94" 24mm	1	0.71" 18mm	0.59" 15mm	0	
SY1221471	3.58" 91mm	1.69" 43mm	1	0.67" 17mm	0.43" 11mm	4		SY1221487	3.94" 100mm	2.24" 57mm	1	0.87" 22mm	0.43" 11mm	4	
SY1221480	3.58" 91mm	1.69" 43mm	1	1.65" 42mm	0.43" 11mm	4		SY1221458	3.98" 101mm	0.98" 25mm	1	1.14" 29mm	0.43" 11mm	0	
SY73765	3.58" 91mm	1.38" 35mm	1	1.85" 47mm	0.43" 11mm	4		SY107768	4.02" 102mm	0.83" 21mm	1	0.67" 17mm	0.47" 12mm	0	
SY45050	3.74" 95mm	0.91" 23mm	1	0.67" 17mm	0.43" 11mm	0		SY104342	4.09" 104mm	2.01" 51mm	1	0.63" 16mm	0.39" 10mm	4	

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Pulleys Poleas Poulies

	O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes		O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes	
SY57860	4.13" 105mm	2.01" 51mm	1	0.75" 19mm	0.39" 10mm	4		SY1221461	4.72" 120mm	2.17" 55mm	1	1.26" 32mm	0.59" 15mm	8
SY1221483	4.17" 106mm	1.02" 26mm	1	0.75" 19mm	0.39" 10mm	4		SY33119	4.76" 121mm	1.30" 33mm	1	0.75" 19mm	0.87" 22mm	0
SY73759	4.33" 110mm	2.32" 59mm	1	0.91" 19mm	0.47" 12mm	4		SY73788	4.80" 122mm	1.97" 50mm	1	1.14" 29mm	0.67" 17mm	4
SY1221467	4.37" 111mm	2.99" 76mm	1	1.30" 33mm	0.47" 12mm	4		SY1221464	4.88" 124mm	2.36" 60mm	1	0.63" 16mm	0.35" 9mm	4
SY100687	4.41" 112mm	1.18" 30mm	1	1.26" 32mm	0.35" 9mm	3		SY1221489	4.88" 124mm	2.05" 52mm	1	0.94" 24mm	0.47" 12mm	4
SY1221488	4.49" 114mm	1.97" 50mm	1	1.26" 32mm	0.47" 12mm	8		SY48951	4.88" 124mm	2.40" 61mm	1	0.59" 15mm	0.51" 13mm	4
SY43851	4.69" 119mm	2.56" 65mm	1	0.59" 15mm	0.43" 11mm	4		SY73792	4.92" 125mm	2.87" 73mm	1	0.63" 16mm	0.51" 13mm	4
														

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Pulleys Poleas Poulies

	O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes		O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes	
SY1221476	5.08" 129mm	1.77" 45mm	1	1.18" 30mm	0.39" 10mm	0		SY1221122	5.31" 135mm	1.26" 32mm	1	0.94" 24mm	0.47" 12mm	4
SY1221470	5.08" 129mm	2.09" 53mm	1	1.14" 29mm	0.47" 12mm	4		SY33194	5.31" 135mm	2.17" 55mm	1	0.94" 24mm	0.47" 12mm	4
SY1221459	5.08" 129mm	1.77" 45mm	1	1.26" 32mm	0.47" 12mm	4		SY73782	5.35" 136mm	1.69" 39mm	1	2.20" 56mm	0.39" 10mm	4
SY73758	5.12" 130mm	2.48" 63mm	1	1.14" 29mm	0.63" 16mm	4		SY56968	5.35" 136mm	2.40" 61mm	1	1.61" 41mm	0.47" 12mm	4
SY73770	5.20" 132mm	1.81" 46mm	1	1.26" 32mm	0.39" 10mm	4		SY42781	5.39" 137mm	2.24" 57mm	1	0.63" 16mm	0.39" 10mm	4
SY73775	5.24" 133mm	1.77" 45mm	1	0.71" 18mm	0.47" 12mm	1		SY1221123	5.51" 140mm	1.77" 45mm	1	1.26" 32mm	0.47" 12mm	4
SY1221473	5.24" 133mm	1.77" 45mm	1	0.71" 18mm	0.47" 12mm	1		SY48947	5.51" 140mm	2.48" 63mm	1	1.61" 41mm	0.55" 14mm	4


 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Pulleys Poleas Poulies

	O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes		O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes	
SY73753	5.59" 142mm	1.61" 41mm	1	1.22" 31mm	0.39" 10mm	0		SY1221462	5.71" 145mm	2.56" 65mm	1	1.18" 30mm	0.59" 15mm	4
SY72557	5.59" 142mm	1.38" 35mm	1	1.62" 42mm	0.91" 23mm	4		SY58321	5.79" 147mm	1.85" 47mm	1	1.42" 36mm	0.47" 12mm	9
SY1221479	5.63" 143mm	3.23" 82mm	1	0.98" 25mm	0.51" 13mm	4		SY1221463	5.87" 149mm	2.36" 60mm	1	1.81" 46mm	1.57" 40mm	8
SY1221468	5.63" 143mm	3.23" 82mm	1	0.98" 25mm	0.51" 13mm	4		SY1221469	5.91" 150mm	2.20" 56mm	1	1.61" 41mm	0.59" 15mm	4
SY1221346	5.63" 143mm	2.48" 63mm	1	1.14" 29mm	0.59" 15mm	4		SY1221486	5.98" 152mm	2.44" 62mm	1	1.61" 41mm	0.55" 14mm	4
SY1221466	5.67" 144mm	2.48" 63mm	1	1.38" 35mm	0.59" 15mm	2		SY57615	6.38" 162mm	1.61" 41mm	1	1.38" 35mm	0.87" 22mm	8
SY73973	5.67" 144mm	2.76" 70mm	1	0.63" 16mm	0.51" 13mm	4		SY46958	6.38" 162mm	3.58" 9mm	1	1.61" 41mm	0.55" 14mm	10

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Pulleys Poleas Poulies

	O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes		O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes	
SY1221485	6.61" 168mm	2.05" 52mm	1	1.77" 45mm	0.59" 15mm	4		SY1221465	3.98" 101mm	1.89" 48mm	2	1.14" 29mm	0.47 12mm	0
SY58652	6.73" 171mm	1.30" 33mm	1	1.26" 32mm	0.39" 10mm	3		SY1221360	4.37" 111mm	2.64" 67mm	2	1.93" 49mm	0.43" 11mm	4
SY1221482	6.98" 175mm	2.09" 53mm	1	1.57" 40mm	0.59" 15mm	4		SY1221472	5.39" 137mm	2.44" 62mm	2	0.75" 19mm	0.43" 11mm	4
SY1221494	6.89" 175mm	3.82" 9mm	1	0.91" 23mm	0.63 16mm	4		SY42909	5.59" 142mm	1.77" 45mm	2	0.63" 16mm	0.35" 9mm	4
SY1221430	7.17" 182mm	2.05" 52mm	1	0.63" 16mm	0.94" 24mm	4		SY57154	5.79" 147mm	2.05" 52mm	2	1.14" 29mm	0.47" 12mm	6
SY1220279	7.60" 193mm	3.78" 9mm	1	0.87" 22mm	0.59" 15mm	4		SY42442	6.10" 155mm	2.44" 62mm	2	0.75" 19mm	0.39" 10mm	4
SY48968	7.99" 203mm	2.60" 66mm	1	1.81" 46mm	0.47" 12mm	4		SY1248843	6.22" 158mm	2.60" 66mm	2	1.26" 32mm	0.83" 21mm	2

 CA PROP 65 WARNING: Cancer/Reproductive Harm www.p65warnings.ca.gov

Pulleys Poleas Poulies

	O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes		O.D.	Total Height	# Belts ▼	I.D.	Width of Groove	Mounting Holes	
SY1221492	6.22" 158mm	2.56" 65mm	2	0.63" 16mm	0.47" 12mm	4		SY48976	7.99" 203mm	3.54" 9mm	2	1.61" 41mm	0.55" 14mm	10
SY57833	6.38" 162mm	2.28" 58mm	2	1.26" 32mm	0.43" 11mm	6		SY1221474	8.15" 207mm	2.72" 69mm	2	1.61" 41mm	0.51" 13mm	4
SY48978	6.57" 167mm	2.72" 69mm	2	1.61" 41mm	0.51" 13mm	4		SY1221452	4.13" 105mm	3.03" 77mm	3	0.63" 16mm	0.39" 10mm	4
SY83082	6.73" 171mm	1.57" 40mm	2	1.26" 32mm	0.39" 10mm	3								